

REFERÊNCIAS STAND 20º CONGRESSO BRASILEIRO DE GASTROENTEROLOGIA E HEPATOLOGIA PEDIÁTRICAS

LINHA ALERGIA

1. NielsenIQ Retail Index Evolution, CP 188 (Leites Especiais em Pó), Segmento de Alergia, MOV'25 (Out'24-Set'25), T. BRASIL INA+INFC
2. HCP TRACKER, 2024
3. Atualização em Alergia Alimentar 2025: posicionamento conjunto da ASBAI e SBP – de Oliveira LCL, et al. Arq Asma Alerg Imunol – Vol. 9, Nº 1, 2025
4. Vandenplas Y, et al. An ESPGHAN position paper on the diagnosis, management and prevention of cow's milk allergy. *J Pediatr Gastroenterol Nutr.* 2023 Jul 26.
5. Verwimp JJ, et al. Symptomatology and growth in infants with cow's milk protein intolerance using two different whey protein hydrolysate based formulas in a Primary Health Care setting. *Eur J Clin Nutr.* 1995;49 Suppl 1:S39 S48.2.
6. Giampietro PG, et al. Hypoallergenicity of an extensively hydrolyzed whey formula. *Pediatr Allergy Immunol.* 2001;12(2):83 86. 3.
7. SBP. Guia de orientações - Dificuldades alimentares/ Sociedade Brasileira de Pediatria. Departamento Científico de Nutrologia . São Paulo: SBP, 2022. 66
8. Meyer R, Venter C, Fox AT, Shah N. Practical dietary management of protein energy malnutrition in young children with cow's milk protein allergy. *Pediatr Allergy Immunol.* 2012;23(4):307–14.
9. Sampson et al (1992). Safety of an amino acid derived infant formula in children allergic to cow milk. *Pediatrics*, 90(3), 463 465.4.
10. Isolauri, E., et al (1995). Efficacy and safety of hydrolyzed cow milk and amino acid derived formulas in infants with cow milk allergy. *The Journal of pediatrics*, 127(4), 550 557.

LINHA GASTRO

- 1) HCP TRACKER, 2024
- 2) NielsenIQ Retail Index Evolution, CP 188 (Leites Especiais em Pó), Fórmulas Infantis Anti Refluxo e Fórmulas Infantis para Transtornos Gastrointestinais Leves, MOV'25 (Out'24-Set'25), T. BRASIL INA+INFC
- 3) Savino F et al. Reduction of crying episodes owing to infantile colic: A randomized controlled study on the efficacy of a new infant formula. *Eur J Clin Nutr* 2006, 60:1304-10.
- 4) Schmelzle H et al. Randomized double-blind study of the nutritional efficacy and bifidogenicity of a new infant formula containing partially hydrolyzed protein, a high beta-palmitic acid level, and nondigestible oligosaccharides. *J Pediatr Gastroenterol Nutr* 2003, 36:343-51.
- 5) Bongers ME et al. The clinical effect of a new infant formula in term infants with constipation: a double-blind, randomized cross-over trial. *Nutr J* 2007;6:8.
- 6) Savino F et al. Advances in the management of digestive problems during the first

months of life. *Acta Paediatr Suppl* 2005, 94:120-7.

7) Savino F et al. "Minor" feeding problems during the first months of life: effect of a partially hydrolyzed milk formula containing fructo- and galacto-oligosaccharides. *Acta Paediatr Suppl* 2003, 91:86-90.

8) Vandenplas Y et al. Algorithms for managing infant constipation, colic, regurgitation and cow's milk allergy in formula-fed infants. *Acta Paediatr* 2015.

9) Borrelli O et al. Use of a new thickened formula for treatment of symptomatic gastroesophageal reflux in infants. *Ital J Gastroenterol Hepatol*, 1997; 29:237-42.

10) Wenzl TG et al. Effects of thickened feeding on gastroesophageal reflux in infants: a placebo-controlled crossover study using intraluminal impedance. *Journal of Pediatrics*, 2003;111(4):355-359.

11) Laranjeira M et al. Adequado crescimento, ausência de ganho de peso excessivo e alteração no padrão evacuatório em lactentes com refluxo gastroesofágico recebendo fórmula infantil espessada com goma jataí. *Pediatr. Mod.* 2014; 50(8): 339-342.

12) Simakachorn N et al. Randomized, double-blind clinical trial of a lactose-free and lactose containing formula in dietary management of acute childhood diarrhea. *J Med Assoc Thai.* 2004 Jun;87(6):641-9.

13) Salvatore S. et al. Thickened infant formula: what to know. *Nutrition*, 2018.

14) Rosen R, Vandenplas Y, Singendonk M, et al. Pediatric Gastroesophageal Reflux Clinical Practice Guidelines: Joint Recommendations of the North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition and the European Society for Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr.* 2018;66(3):516-554.

15) Infante Pina D et al. Thickened infant formula, rheological study of the "in vitro" properties. *An Pediatr (Barc).* 2010; 72(5):302-8.

16) Horvath A, Dziechciarz P, Szajewska H. The Effect of Thickened-Feed Interventions on Gastroesophageal Reflux in Infants: Systematic Review and Meta-analysis of Randomized, Controlled Trials. *Pediatrics* 2008;122:e1268-e1277.