


REFERÊNCIAS BIBLIOGRÁFICAS

Referência: Está nas suas mãos garantir o tratamento adequado para a criança com APLV_C05



(Adaptado de Meyer et al., 2019) sugestão para ADD TELA 3

1. Solé D et al. Consenso Brasileiro sobre Alergia Alimentar: 2018 – Parte 1 e 2. Arq Asma Alerg Imunol. 2018;2(1):7-82.
2. Sampson HA. Food allergy: past, present and future. Allergol Int. 2016;65(4):363-9
3. Tordesillas L, Berin MC, Sampson HA. Immunology of Food Allergy. Immunity. 2017;47(1):32-50.
4. Vandenplas Y, Brough HA, Fiocchi A, Miqdady M, Munasir Z, Salvatore S, Thapar N, Venter C, Vieira MC, Meyer R. Current Guidelines and Future Strategies for the Management of Cow's Milk Allergy. J Asthma Allergy. 2021 Oct 21;14:1243-1256
5. Meyer R, Fox AT, Chebar Lozinsky A, et al. Non-IgE-mediated gastrointestinal allergies-Do they have a place in a new model of the Allergic March. Pediatr Allergy Immunol. 2019 Mar;30(2):149-158.
6. Waserman S, Bégin P, Watson W. IgE-mediated food allergy. Allergy Asthma Clin Immunol. 2018 Sep 12;14(Suppl 2):55.
7. Savilahti EM, Savilahti E. Development of natural tolerance and induced desensitization in cow's milk allergy. Pediatr Allergy Immunol. 2013 Mar;24(2):114-21.
8. Sackesen C, Altintas DU, Bingol A, Bingol G, Buyuktiryaki B, Demir E, Kansu A, Kuloglu Z, Tamay Z, Sekerel BE. Current Trends in Tolerance Induction in Cow's Milk Allergy: From Passive to Proactive Strategies. Front Pediatr. 2019 Sep 18;7:372
9. Tang MLK et al. Food allergy: is prevalence increasing? 2017. Royal Australasian College of Physicians.
10. Turner PJ et al. Increase in anaphylaxis – related hospitalizations but no increase in fatalities: an analysis of United Kingdom national anaphylaxis data, 1992-2012
11. Fox A, Brown T, Walsh J, et al. An update to the Milk Allergy in Primary Care guideline. Clin Transl Allergy. 2019;9:40. Published 2019 Aug 12.
12. Saarinen KM, Pelkonen AS, Mäkelä MJ, Savilahti E. Clinical course and prognosis of cow's milk allergy are dependent on milk-specific IgE status. J Allergy Clin Immunol. 2005 Oct;116(4):869-75
13. Venter C et al. Diagnosis and management of non-IgE-mediated cow's milk allergy in infancy: a UK primary care practical guide. Clin Transl Allergy. 2013;3(1):23

14. Venter C et al. Better recognition, diagnosis and management of non-IgE-mediated cow's milk allergy in infancy: iMAP-an international interpretation of the MAP (Milk Allergy in Primary Care) guideline. *Clin Transl Allergy*. 2017;7:26.
15. Koletzko S et al. Diagnostic approach and management of cow's-milk protein allergy in infants and children: ESPGHAN GI Committee practical guidelines. *J Pediatr Gastroenterol Nutr*. 2012;55 (2):221-9.
16. Eussen SRBM, et al. Theoretical Impact of Replacing Whole Cow's Milk by Young-Child Formula on Nutrient Intakes of UK Young Children: Results of a Simulation Study. *Annals of Nutrition and Metabolism*, 2015; 67(4):247-56.
17. Sociedade Brasileira de Pediatria (SBP). Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar / Sociedade Brasileira de Pediatria. Departamento Científico de Nutrologia. – 4ª. ed. - São Paulo: SBP, 2018. 172 p.
18. Institute of Medicine (US) Committee to Review Dietary Reference Intakes for Vitamin D and Calcium; Ross AC, Taylor CL, Yaktine AL, et al., editors. *Dietary Reference Intakes for Calcium and Vitamin D*. Washington (DC): National Academies Press (US); 2011.
19. Meyer R. Nutritional disorders resulting from food allergy in children. *Pediatr Allergy Immunol*. 2018 Nov;29(7):689-704.
20. Michaelsen KF. Effect of protein intake from 6 to 24 months on insulin-like growth factor 1 (IGF-1) levels, body composition, linear growth velocity, and linear growth acceleration: what are the implications for stunting and wasting? *Food Nutr Bull*. 2013;34(2):268-271.
21. Yanagida N, Minoura T, Kitaoka S. Does Terminating the Avoidance of Cow's Milk Lead to Growth in Height. *Int Arch Allergy Immunol*. 2015;168(1):56-60.
22. Venter C, Mazzocchi A, Maslin K, Agostoni C. Impact of elimination diets on nutrition and growth in children with multiple food allergies. *Curr Opin Allergy Clin Immunol*. 2017;17(3):220-6.
23. Kerzner B, Milano K, MacLean WC Jr, Berall G, Stuart S, Chattoor I. A practical approach to classifying and managing feeding difficulties. *Pediatrics*. 2015 Feb;135(2):344- 53.
24. Ferreira CT et al. Alergia alimentar não-IgE mediada: formas leves e moderadas (guia prático de atualização da Sociedade Brasileira de Pediatria). São Paulo: SBP, 2022.
25. Meyer R, Venter C, Fox AT, Shah N. Practical dietary management of protein energy malnutrition in young children with cow's milk protein allergy. *Pediatr Allergy Immunol*. 2012;23(4):307–14.
26. Meyer R, Wright K, Vieira MC et al. International survey on growth indices and impacting
27. Konstantnowicz J; Nguyen TV; Kaczmarski M et al. Fractures during growth: potencial role of a milk free diet. *Osteoporos Int* (2007) 18: 1601-1607.
28. Vandenplas Y, Broekaert I, Domellöf M, Indrio F, Lapillonne A, Pienar C, Ribes-Koninckx C, Shamir R, Szajewska H, Thapar N, Thomassen RA, Verduci E, West C. An ESPGHAN Position Paper on the Diagnosis, Management, and Prevention of Cow's Milk Allergy. *J Pediatr Gastroenterol Nutr*. 2024 Feb;78(2):386-413.
29. Meyer R, De Koker C, Dziubak R, Venter C, Dominguez-Ortega G, Cutts R et al. Malnutrition in children with food allergies in the UK. *J Hum Nutr Diet*. 2014;27(3):227-35
30. Hofman DL, Van Buul VJ, Brouns FJPH. Nutrition, Health, and Regulatory Aspects of Digestible Maltodextrins. *Crit Rev Food Sci Nutr*. 2016;56(12):2091-100.
31. Institute of Medicine (IOM). *Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids*. Washington: The National Academies Press; 2005.
32. Braegger C, Decsi T, Dias JA, Hartman C, Kolaček S, Koletzko B et al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. *JPGN*; 2010;51(1):110-122.
33. Maslin K, Dean T, Arshad SH, Venter C. Fussy eating and feeding difficulties in infants and toddlers consuming a cow's milk exclusion diet. *Pediatr Allergy Immunol*. 2015;26(6):503-8
34. Maslin K, Grimshaw K, Oliver E, Roberts G, Arshad SH, Dean T et al. Taste preference, food neophobia and nutritional intake in children consuming a cows' milk exclusion diet: a prospective study. *J Hum Nutr Diet*. 2016;29(6):786-796.

35. SBP. Guia de orientações - Dificuldades alimentares/ Sociedade Brasileira de Pediatria. Departamento Científico de Nutrologia . São Paulo: SBP, 2022. 66 f.
36. Medeiros LCS et al. Ingestão de nutrientes e estado nutricional de crianças em dieta isenta de leite de vaca e derivados. J. Pediatr. (Rio J.) vol.80 no.5 Porto Alegre, 2004.
37. Hill SA, Nurmatov U, DunnGalvin A, Reese I, Vieira MC, Rommel N, Dupont C, Venter C, Cianferoni A, Walsh J, Yonamine G, Beauregard A, Meyer R, Vazquez-Ortiz M. Feeding difficulties in children with food allergies: An EAACI Task Force Report. Pediatr Allergy Immunol. 2024 Apr;35(4):e14119.
38. Westwell-Roper C, To S, Andjelic G, Lu C, Lin B, Soller L, Chan ES, Stewart SE. Food-allergy-specific anxiety and distress in parents of children with food allergy: A systematic review. Pediatr Allergy Immunol. 2022 Jan;33(1):e13695.
39. Indinnimeo L, Baldini L, De Vittori V, Zicari AM, De Castro G, Tancredi G, Lais G, Duse M. Duration of a cow-milk exclusion diet worsens parents' perception of quality of life in children with food allergies. BMC Pediatr. 2013 Dec 5;13:203.
40. Golding MA, Gunnarsson NV, Middelveld R, Ahlstedt S, Protudjer JLP. A scoping review of the caregiver burden of pediatric food allergy. Ann Allergy Asthma Immunol. 2021 Nov;127(5):536-547.e3.
41. Fong AT, Katelaris CH, Wainstein B. Bullying and quality of life in children and adolescents with food allergy. J Paediatr Child Health. 2017 Jul;53(7):630-635.
42. IQVIA 2023
43. Rodrigues VCC, Cezar TM, Abreu CLM, Sanudo A, Morais MB. A real-world cross-sectional study evaluating the role of an oral amino acid-based supplement in nutrient intake by preschoolers on a cow's milk elimination diet. Allergol Immunopathol (Madr). 2024 May 1;52(3):42-52.
44. Comparativo de produtos de mesma categoria realizado em Junho de 2024.
45. Vanga SK, Raghavan V. How well do plant based alternatives fare nutritionally compared to cow's milk? J Food Sci Technol. 2018 Jan;55(1):10-20.
46. Merritt RJ, Fleet SE, Fifi A, et al. North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition Position Paper: Plant-based Milks. J Pediatr Gastroenterol Nutr. 2020;71(2):276-281.
47. Muraro A et al. EAACI food allergy and anaphylaxis guidelines: diagnosis and management of food allergy. Allergy. 2014;69(8):1008-25.
48. Fiocchi A et al. World Allergy Organization (WAO) Diagnosis and Rationale for Action against Cow's Milk Allergy (DRACMA) Guidelines. Pediatr Allergy Immunol. 2010;21 Suppl 21:1-125.
49. Toca MC et al. Consenso sobre el diagnóstico y el tratamiento de la alergia a las proteínas de la leche de vaca de la Sociedad Latinoamericana de Gastroenterología, Hepatología y Nutrición. Rev Gastroenterol Méx. 2022;87:235---250.
50. Morais MB, Spolidoro JV, Vieira MC, Cardoso AL, Clark O, Nishikawa A, Castro AP. Amino acid formula as a new strategy for diagnosing cow's milk allergy in infants: is it cost-effective? J Med Econ. 2016;19:1207-14.
51. Giampietro PG. et al. Hypoallergenicity of an extensively hydrolyzed whey formula. Pediatr Allergy Immunol 2001. 12 (2): 83-86.
52. Verwimp JJ et al. Symptomatology and growth in infants with cow's milk protein intolerance using two different whey-protein hydrolysate based formulas in a Primary Health Care setting. Eur J Clin Nutr. 1995 Sep;49 Suppl 1:S39-48.
53. Maslin K, et al. Comparison of nutrient intake in adolescents and adults with and without food allergies. J Hum Nutr Diet. 2018;31(2):209-217.
54. Vandenplas Y, Hegar B, Munasir Z, et al. The role of soy plant-based formula supplemented with dietary fiber to support children's growth and development: An expert opinion. Nutrition. 2021;90:111278.
55. Bhatia J, Greer F. American Academy of Pediatrics Committee on Nutrition: Use of soy protein-based formulas in infant feeding. Pediatrics. 2008;121(5):1062-8

56. Verwimp JJ, et al. Symptomatology and growth in infants with cow's milk protein intolerance using two different whey protein hydrolysate based formulas in a Primary Health Care setting. *Eur J Clin Nutr*. 1995;49 Suppl 1:S39 S48.
57. Giampietro PG, et al. Hypoallergenicity of an extensively hydrolyzed whey formula. *Pediatr Allergy Immunol*. 2001;12(2):83 86.
58. Sampson et al (1992). Safety of an amino acid derived infant formula in children allergic to cow milk. *Pediatrics*, 90(3), 463 465.
59. Isolauri, E., et al (1995). Efficacy and safety of hydrolyzed cow milk and amino acid derived formulas in infants with cow milk allergy. *The Journal of pediatrics*, 127(4), 550 557.