

REFERÊNCIAS BIBLIOGRÁFICAS

PREGOMIN PLUS LACTENTES HOSPITALIZADOS

1. Pencharz PB. Protein and energy requirements for “optimal” catch-up growth. *EJCN*.2010;64: S5-7.
2. Mehta NM et al. Defining pediatric malnutrition: A paradigm shift toward etiology-related definitions. *J Parenter Enter Nutr*. 2013;37(4):460–81.
3. ASPEN. Nutrition Management of Term Infants with Growth Failure. 2022
4. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria. 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. 2020.
5. Marino, LV et al. Feeding intolerance in children with critical illness. *Clin. Nutr.*, 2020, 39.3: 609-611.
6. Ladopoulos T, Madl U. Gastrointestinal motility in critically ill patients. *Gastroenterologe*. 2019;14(1):43–53.
7. Eveleens, R D et al. Definitions, predictors, and outcomes of feeding intolerance in critically ill children: A systematic review. *Clin Nutr*, 2020, 39.3: 685-693
8. World Health Organization. Safe preparation, storage and handling of powdered infant formula [Online] 2007.
9. World Health Organization. Protein and amino acid requirements in human nutrition. Report of a Joint WHO/FAO/UNU Expert Consultation. *World Health Organ Tech Rep Ser* 2007; (935): 1–265
10. Steele JR, et al. Determining the osmolality of over-concentrated and supplemented infant formulas. *J Hum Nutr Diet*. 2013 Feb;26(1):32-7.
11. Slicker J,et al. Nutrition algorithms for infants with hypoplastic left heart syndrome; birth through the first interstage period. *Congenit Heart Dis*. 2013 Mar-Apr;8(2):89-102.
12. Roman, B. Nourishing little hearts: Nutritional implications for congenital heart defects. *Practical Gastroenterology*. 2011.35(8):11-34.
13. Pereira-da-Silva L, et al. Osmolality of preterm formulas supplemented with nonprotein energy supplements. *Eur J Clin Nutr*. 2008 Feb;62(2):274-8.
14. Fomon SJ, Ziegler EE. Renal solute load and potential renal solute load in infancy. *J Pediatr*. 1999 Jan;134(1):11-4
15. Alsoufi B, et al. Low-weight infants are at increased mortality risk after palliative or corrective cardiac surgery. *J Thorac Cardiovasc Surg*. 2014 Dec;148(6):2508-14.e1.
16. Reddy VM. Low birth weight and very low birth weight neonates with congenital heart disease: timing of surgery, reasons for delaying or not delaying surgery. *Semin Thorac Cardiovasc Surg Pediatr Card Surg Annu*. 2013;16(1):13-20.
17. Carvalho LR, et al. Hazard analysis and critical control point system approach in the evaluation of environmental and procedural sources of contamination of enteral feedings in three hospitals. *JPEN J Parenter Enteral Nutr*. 2000 Sep-Oct;24(5):296-303.
18. Fagerman KE. Limiting bacterial contamination of enteral nutrient solutions: 6-year history with reduction of contamination at two institutions. *Nutr Clin Pract*. 1992 Feb;7(1):31-6.
19. Labiner-Wolfe J, et al. Infant formula-handling education and safety. *Pediatrics*. 2008 Oct;122 Suppl 2:S85-90.
20. Meyer R ,et al. Practical dietary management of protein energy malnutrition in young children with cow's milk protein allergy. *Pediatr Allergy Immunol*. 2012 Jun;23(4):307-14
21. Braegger C, et al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. *JPGN*; 2010;51(1):110-122.
22. Joosten K, Meyer R. Nutritional screening and guidelines for managing the child with faltering growth. *Eur J Clin Nutr*.2010;64:S22–4.
23. Codex Alimentarius FAO/OMS. Standard for infant formula and formulas for special medical purposes intended for infants. Codex Stan 72 – 1981. Revised 2007/2011
24. Guia prático de alimentação da criança de 0 a 5 anos - 2021. / Sociedade Brasileira de Pediatria. Departamentos Científicos de Nutrologia e Pediatria Ambulatorial. São Paulo: SBP, 2021.
25. Lucia Diaferio L et al. May Failure to Thrive in Infants Be a Clinical Marker for the Early Diagnosis of Cow's Milk Allergy? *Nutrients* . 2020 Feb 13;12(2):466.

26. Boaventura RM, Mendonça RB, Fonseca FA, Mallozi M, Souza FS, Sarni ROS. Nutritional status and food intake of children with cow's milk allergy. *Allergol Immunopathol (Madr)*. 2019;47(6):544-550.
27. Vandenplas Y. Lactose Intolerance. *Asia Pac J Clin Nutr*. 2015;24(Suppl 1):S9–13
28. American Academy of Pediatrics. Breastfeeding and the use of human milk. *Pediatrics*. 2012;129:827-41.
29. Marten B et al. Medium-chain triglycerides. *International Dairy Journal*. 2006;16: 1374-1382
30. Koletzko B et al. The roles of long-chain polyunsaturated fatty acids in pregnancy, lactation and infancy: review of current knowledge and consensus recommendations. *J Perinat Med*. 2008;36(1):5-14.
31. IQVIA, outubro de 2023.
32. Solé D et al. Consenso brasileiro sobre alergia alimentar: 2018 – Parte 1 e 2. *Arq Asma Alerg Imunol*. 2018;2(1):7-82.
33. Venter C et al. Diagnosis and management of non-IgE-mediated cow's milk allergy in infancy: a UK primary care practical guide. *Clin Transl Allergy*. 2013;3(1):23.
34. Ferreira CT et al. Alergia alimentar não-IgE mediada: formas leves e moderadas (guia prático de atualização da Sociedade Brasileira de Pediatria). São Paulo: SBP, 2022.
35. Verwimp JJ, et al. Symptomatology and growth in infants with cow's milk protein intolerance using two different whey protein hydrolysate based formulas in a Primary Health Care setting. *Eur J Clin Nutr*. 1995;49 Suppl 1:S39 S48.
36. Giampietro PG, et al. Hypoallergenicity of an extensively hydrolyzed whey formula. *Pediatr Allergy Immunol*. 2001;12(2):83 86.
37. Sampson et al (1992). Safety of an amino acid derived infant formula in children allergic to cow milk. *Pediatrics*, 90(3), 463 465.
38. Isolauri, E., et al (1995). Efficacy and safety of hydrolyzed cow milk and amino acid derived formulas in infants with cow milk allergy. *The Journal of pediatrics*, 127(4), 550 557.