

VA BIÓTICOS – C4

REFERÊNCIAS DANONE

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
 2. Sociedade Brasileira de Pediatria. Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar– 5.ed. rev. ampl. – São Paulo: SBP, 2024.208 p. 2. Zubler et al. Evidence-informed milestones for developmental surveillance tools Pediatrics. 2022; 149 (3)
 3. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. International Journal of Nutrology, 13(1), 2–16.
 4. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
-

TELA 2, 3 e 4

1. Salminen S, szajewska H, knol J. The biotics family in early life. Edited wiley: vol. 4, 2019
2. Arrieta MC, Stiemsma LT, Amenyogbe N, Brown EM, Finlay B. The intestinal microbiome in early life: health and disease. Front Immunol. 2014 Sep 5;5:427.
3. Butte, N., M. López-Alarcón and C. Garza (2002). "Nutrient Adequacy of Exclusive Breastfeeding for the Term Infant During the First Six Months of Life." 1-49.
4. Thai, J. D., & Gregory, K. E. (2020). Bioactive Factors in Human Breast Milk Attenuate Intestinal Inflammation during Early Life. Nutrients, 12(2).
5. Ojo-Okunola, A., Cacciatore, S., Nicol, M. P., & du Toit, E. (2020). The Determinants of the Human Milk Metabolome and Its Role in Infant Health. Metabolites, 10(2).
6. Ballard, O., & Morrow, A. L. (2013). Human milk composition: nutrients and bioactive factors. Pediatr Clin North Am, 60(1), 49-74.

7. Gopalakrishna, K. P., & Hand, T. W. (2020). Influence of Maternal Milk on the Neonatal Intestinal Microbiome. *Nutrients*, 12(3).
8. Zimmermann, P., & Curtis, N. (2020). Breast milk microbiota: A review of the factors that influence composition. *J Infect*, 81(1), 17-47.
9. Boix-Amorós, A., Collado, M. C., & Mira, A. (2016). Relationship between Milk Microbiota, Bacterial Load, Macronutrients, and Human Cells during Lactation. *Front Microbiol*, 7, 492.
10. Joint FAO/WHO Expert Consultation on Evaluation of Health and Nutritional Properties of Probiotics in Food including Powder Milk with Live Lactic Acid Bacteria. Cordoba, Argentina. 1-4 October 2001.
11. Hill C, Guarner F, Reid G, Gibson GR, Merenstein DJ, Pot B, et al. Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol*. 2014;11:506-14.
12. Depoorter L, Vandenplas Y. Probiotics in Pediatrics. A Review and Practical Guide. *Nutrients* 2021, 13, 2176.
13. Salminen, s.; Collado, m. C.; Endo, a.; Hill, c.; Lebeer, s.; Quigley, e. M. M.; Sanders, m. E.; Shamir, r.; Swann, j. R.; Szajewska, h.; Vinderola, g. ISAPP consensus statement on the definition and scope of postbiotics. *Nature reviews gastroenterology & hepatology*, v. 18, p. 649-667, 2021.
14. Sociedade Brasileira de Pediatria. Uso de probióticos em crianças com infecções comuns da infância e na prevenção de alergias. Departamento de Alergia. 2025
15. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
16. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr*. 2002;34(3):291-5. (esse é o artigo que fala que a dose de 0,8gramas é a melhor – então sempre uso MUITO para o claim de a dose importa)
17. Knol J et al. Colon microflora in infants fed formula with galacto- and fructooligosaccharides: more like breast-fed infants. *J Pediatr Gastroenterol Nutr*. 2005;40(1):3642.
18. Bruzzese, Eugenia, et al. "A formula containing galacto-and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study." *Clinical Nutrition* 28.2 (2009): 156-161.

19. Shahramian, Iraj, et al. "The effects of prebiotic supplementation on weight gain, diarrhoea, constipation, fever and respiratory tract infections in the first year of life." *Journal of paediatrics and child health* 54.8 (2018): 875-880.
20. Scholtens PA, Alles MS, Bindels JG, van der Linde EG, Tolboom JJ, Knol J. Bifidogenic effects of solid weaning foods with added prebiotic oligosaccharides: a randomised controlled clinical trial. *J Pediatr Gastroenterol Nutr.* 2006 May;42(5):553-9.
21. Overbeek S et al. Human milk oligosaccharide 2'-fucosyllactose more efficiently modulates immunogenicity during maturation of human dendritic cells in the presence of scGOS/lcFOS prebiotics. *JPGN.* 2019;58:995
22. Cabrera-Rubio R, Kunz C, Rudloff S, García-Mantrana I, Crehuá-Gaudiza E, Martínez-Costa C, Collado MC. Association of Maternal Secretor Status and Human Milk Oligosaccharides With Milk Microbiota: An Observational Pilot Study. *J Pediatr Gastroenterol Nutr.* 2019 Feb;68(2):256-263. doi: 10.1097/MPG.0000000000002216. PMID: 30540710.
23. Phavichitr, N., Wang, S., Chomto, S. et al. Impact of synbiotics on gut microbiota during early life: randomized, double-blind <https://doi.org/10.1038/s41598-021-83009-2> study. *Sci Rep* 11, 3534 (2021).
24. Fernández L, et al. The human milk microbiota: Origin and potential roles in health and disease. *Pharmacol Res* (2012), <http://dx.doi.org/10.1016/j.phrs.2012.09.001>
25. Petra Zimmermann MD, PhD , Nigel Curtis FRCPCH, PhD , Breast milk microbiota: A complex microbiome with multiple impacts and conditioning factors, *Journal of Infection* (2020), doi: <https://doi.org/10.1016/j.jinf.2020.01.023>
26. Bode L, McGuire M, Rodriguez JM, Geddes DT, Hassiotou F, Hartmann PE, McGuire MK. It's alive: microbes and cells in human milk and their potential benefits to mother and infant. *Adv Nutr.* 2014 Sep;5(5):571-3. doi: 10.3945/an.114.006643. PMID: 25469400; PMCID: PMC4188237.
27. Sánchez, C.; Franco, L.; Regal, P.; Lamas, A.; Cepeda, A.; Fente, C. Breast Milk: A Source of Functional Compounds with Potential Application in Nutrition and Therapy. *Nutrients* 2021, 13, 1026. <https://doi.org/10.3390/nu13031026>
28. Sindi, A.S. The Association Between Maternal Diet and the Human Milk Microbiome: A Review of Evidence and Methodological Challenges. *Microorganisms* 2025, 13, 2347. <https://doi.org/10.3390/microorganisms13102347>

29. Yi, D.Y.; Kim, S.Y. Human Breast Milk Composition and Function in Human Health: From Nutritional Components to Microbiome and MicroRNAs. *Nutrients* 2021, 13, 3094. <https://doi.org/10.3390/nu13093094>
30. Lyons KE, Ryan CA, Dempsey EM, Ross RP, Stanton C. Breast Milk, a Source of Beneficial Microbes and Associated Benefits for Infant Health. *Nutrients*. 2020 Apr 9;12(4):1039. doi: 10.3390/nu12041039. PMID: 32283875; PMCID: PMC7231147.
31. Cabrera-Rubio R, Collado MC, Laitinen K, Salminen S, Isolauri E, Mira A. The human milk microbiome changes over lactation and is shaped by maternal weight and mode of delivery. *Am J Clin Nutr*. 2012 Sep;96(3):544-51. doi: 10.3945/ajcn.112.037382. Epub 2012 Jul 25. PMID: 22836031.
32. Martín R, Jiménez E, Heilig H, Fernández L, Marín ML, Zoetendal EG, Rodríguez JM. Isolation of bifidobacteria from breast milk and assessment of the bifidobacterial population by PCRdenaturing gradient gel electrophoresis and quantitative real-time PCR. *Appl Environ Microbiol*. 2009 Feb;75(4):965-9. doi: 10.1128/AEM.02063-08. Epub 2008 Dec 16. PMID: 19088308; PMCID: PMC2643565.
33. Fiocchi A, Pawankar R, Cuello-Garcia C, Ahn K, Al-Hammadi S, Agarwal A, et al. World Allergy Organization-McMaster University Guidelines for Allergic Disease Prevention (GLAD-P): Probiotics. *World Allergy Organ J*. 2015;8(1):4.
34. Gutierrez-Castrellon P, Lopez-Velazquez G, Diaz- Garcia L, Jimenez-Gutierrez C, MancillaRamirez J, Estevez-Jimenez J, et al. Diarrhea in preschool children and *Lactobacillus reuteri*: a randomized controlled trial. *Pediatrics*. 2014;133(4):e904-9.
35. Taipale TJ, Pienihäkkinen K, Isolauri E, Jokela JT, Söderling EM. *Bifidobacterium animalis* subsp. *lactis* BB-12 in reducing the risk of infections in early childhood. *Pediatr Res*. 2016 Jan;79(1-1):65-9. doi: 10.1038/pr.2015.174. Epub 2015 Sep 15. PMID: 26372517.
36. Phuapradit P, Varavithya W, Vathanophas K, Sangchai R, Podhipak A, Suthutvoravut U, Nopchinda S, Chantraruksa V, Haschke F. Reduction of rotavirus infection in children receiving bifidobacteria-supplemented formula. *J Med Assoc Thai*. 1999 Nov;82 Suppl 1:S438. PMID: 10730517.
37. J. P. Chouraqui, L. D. Van Egroo, M. C. Fichot, J. *Pediatr. Gastroenterol. Nutr*. 2004, 38, 288.
38. Baglatzi L, Gavrili S, Stamouli K, Zachaki S, Favre L, Pecquet S, Benyacoub J, Costalos C. Effect of Infant Formula Containing a Low Dose of the Probiotic *Bifidobacterium lactis* CNCM I3446 on Immune and Gut Functions in C-Section

Delivered Babies: A Pilot Study. *Clin Med Insights Pediatr.* 2016 Mar 13;10:11-9. doi: 10.4137/CMPed.S33096. PMID: 26997881; PMCID: PMC4792197.

39. Nocerino R, De Filippis F, Cecere G, Marino A, Micillo M, Di Scala C, de Caro C, Calignano A, Bruno C, Paparo L, Iannicelli AM, Cosenza L, Maddalena Y, Della Gatta G, Coppola S, Carucci L, Ercolini D, Berni Canani R. The therapeutic efficacy of *Bifidobacterium animalis* subsp. *lactis* BB-12® in infant colic: A randomised, double blind, placebo-controlled trial. *Aliment Pharmacol Ther.* 2020 Jan;51(1):110-120.

40. Skórka A, Pieścik-Lech M, Kołodziej M, Szajewska H. To add or not to add probiotics to infant formulae? An updated systematic review. *Benef Microbes.* 2017 Oct 13;8(5):717-725.

41. Xinias I, Analitis A, Mavroudi A, Roilides I, Lykogeorgou M, Delivoria V, Milingos V, Mylonopoulou M, Vandenplas Y. Innovative Dietary Intervention Answers to Baby Colic. *Pediatr Gastroenterol Hepatol Nutr.* 2017 Jun;20(2):100-106.

42. Holscher HD, Czerkies LA, Cekola P, Litov R, Benbow M, Santema S, Alexander DD, Perez V, Sun S, Saavedra JM, Tappenden KA. *Bifidobacterium lactis* Bb12 enhances intestinal antibody response in formula-fed infants: a randomized, double-blind, controlled trial. *JPEN J Parenter Enteral Nutr.* 2012 Jan;36(1 Suppl):106S-17S.

43. Hojsak I, et al., *Bifidobacterium animalis* subsp. *lactis* in prevention of common infections in healthy children attending day care centers e Randomized, double blind, placebo-controlled study, *Clinical Nutrition* (2015), <http://dx.doi.org/10.1016/j.clnu.2015.05.004>

44. Picaud J-C, Claris O, Gil-Campos M, De La Cueva IS, Cornette L, Alliet P, Léké A, Castanet M, Piloquet H, de Halleux V, Mitanchez D, Vandenplas Y, Maton P, Jochum F, Olbertz D, Policarpo SN, Lavallo L, Fumero C, Rodriguez-Garcia P, Moll JM, Silva-Zolezzi I, Zemrani B, Hays NP, Sprenger N and Miranda-Mallea J (2025) Partially hydrolyzed, whey-based infant formula with six human milk oligosaccharides, *B. infantis* LMG11588, and *B. lactis* CNCM I 3446 is safe, well tolerated, and improves gut health: a staged analysis of a randomized trial. *Front. Nutr.* 12:1628847.

45. Szajewska H, Berni Canani R, Domellöf M, Guarino A, Hojsak I, Indrio F, et al. Position Paper of the ESPGHAN Special Interest Group on Gut Microbiota and Modifications. *J Pediatric.*

46. Dinleyici EC, Szajewska H, Hojsak I, Gutierrez-Castrellón P, Guarino A, Indrio F, van Goudoever JB, Domellöf M, Shamir R, Savino F, Vandenplas Y; ESPGHAN Special Interest Group on Gut Microbiota and Modification. Technical review by the

ESPGHAN Special Interest Group on Gut Microbiota and Modifications on the health outcomes of infant formula supplemented with probiotics. *J Pediatr Gastroenterol Nutr.* 2026 Jan;82(1):235251. doi: 10.1002/jpn3.70068. Epub 2025 May 12. PMID: 40356343.

TELA 4, 5 E 6

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
2. Sociedade Brasileira de Pediatria. Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar– 5.ed. rev. ampl. – São Paulo: SBP, 2024.208 p.
3. Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am.* 2013;60(1):49-74.
4. Koletzko B et al. Lower protein in infant formula is associated with lower weight up to age 2 y: a randomized clinical trial. *Am J Clin Nutr.* 2009; 89: 1836–45.
5. Dallas DC, Murray NM, Gan J. Proteolytic Systems in Milk: Perspectives on the Evolutionary Function within the Mammary Gland and the Infant. *J Mammary Gland Biol Neoplasia.* 2015 Dec;20(3-4):133-47.
6. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306
7. Liu L et al. Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. *J Lipid Res.* 2014;55(3):531-9
8. Bar-Yoseph F et al. Review of sn-2 palmitate oil implications for infant health. *Prostaglandins Leukot Essent Fatty Acids.* 2013;89(4):139-43
9. Salminen S, Szajewska H, Knol J. The Biotics Family in Early Life. Edited Wiley: vol. 4, 2019
10. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr.* 2002;34(3):291-5
11. Bruzzese E et al. A formula containing galacto- and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study. *Clin Nutr.* 2009;28(2):156-61

12. Oozeer R et al. Intestinal microbiology in early life: specific prebiotics can have similar functionalities as human-milk oligosaccharides. *Am J Clin Nutr*. 2013;98(2):561S-71S.
13. Scholtens PA et al. Stool characteristics of infants receiving short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides: a review. *World J Gastroenterol*. 2014;20(37):13446-52.
14. Vandenplas Y et al. A partly fermented infant formula with postbiotics including 3'-GL, specific oligosaccharides, 2'-FL, and milk fat supports adequate growth, is safe and well-tolerated in healthy term infants: a double-blind, randomised, controlled, multi-country trial. *Nutrients*. 2020; 12(11):3960
15. Overbeek S et al. Human milk oligosaccharide 2'-fucosyllactose more efficiently modulates immunogenicity during maturation of human dendritic cells in the presence of scGOS/lcFOS prebiotics. *JPGN*. 2019; 58:995
16. Comparativo realizado entre produtos da mesma categoria, em 06/2026, utilizando informações extraídas da tabela nutricional
17. Dinleyici M, Barbieur J, Dinleyici EC, Vandenplas Y. Functional effects of human milk oligosaccharides (HMOs). *Gut Microbes*. 2023 Jan-Dec;15(1):2186115.
18. Mun JG, Legette LL, Ikonte CJ, Mitmesser SH. Choline and DHA in Maternal and Infant Nutrition: Synergistic Implications in Brain and Eye Health. *Nutrients*. 2019 May 21;11(5):1125.
19. Luque et al. Early Programming by Protein Intake: The Effect of Protein on Adiposity Development and the Growth and Functionality of Vital Organs. *Nutrition and Metabolic Insights* 2015;8(S1) 4956
20. Xiao L et al. The combination of 2'-fucosyllactose with short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides that enhance influenza vaccine responses is associated with mucosal immune regulation in mice. *J Nutr*. 2019;149(5):856-869.;
21. Azagra-Boronat I, et al. Oligosaccharides Modulate Rotavirus-Associated Dysbiosis and TLR Gene Expression in Neonatal Rats. *Cells* 2019; 8(8): 876. 25.