

REFERÊNCIAS

REFERÊNCIAS BIBLIOGRÁFICAS

Portfólio Danone

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
2. Zubler et al. Evidence-informed milestones for developmental surveillance tools Pediatrics. 2022; 149 (3)
3. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. International Journal of Nutrology, 13(1), 2–16.
4. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
5. Sociedade Brasileira de Pediatria. Guia de orientações - Dificuldades alimentares. Departamento Científico de Nutrologia São Paulo: SBP, 2022.
6. Codex Alimentarius FAO/OMS. Standard for infant formula and formulas for special medical purposes intended for infants. Codex Stan 72 – 1981. Revised 2007/2011.
7. Gahagan S. Failure to thrive: a consequence of undernutrition. Pediatr Rev. 2006 Jan;27(1):e1-11.
8. Koletzko, Berthold, et al. "Scientific basis and practical application of nutritional care for preterm infants." Nutritional Care of Preterm Infants. Vol. 122. Karger Publishers, 2021.
9. Agostoni C et al. Enteral Nutrient Supply for Preterm Infants: Commentary from the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition Committee on Nutrition. Journal of Pediatric Gastroenterology and Nutrition. 2010; 50 (1): 85-91.

Aptamil linha pre

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
2. Chawanpaiboon, Saifon, et al. "Global, regional, and national estimates of levels of preterm birth in 2014: a systematic review and modelling analysis." The Lancet Global Health. 2019; e37-e46
3. WHO. World Health Organization, 2004.
4. WHO. World Health Organization, 2016.
5. Koletzko, Berthold, et al. "Scientific basis and practical application of nutritional care for preterm infants." Nutritional Care of Preterm Infants. Vol. 122. Karger Publishers, 2021.
6. Embleton, N. D., Moltu, S. J., Lapillonne et al. Enteral nutrition in preterm infants (2022): a position paper from the ESPGHAN committee on nutrition and invited experts. Journal of pediatric gastroenterology and nutrition.2023; 76(2), 248-268.
7. Aggett, P. J. Agostoni, C. Axelsson I. et al. 2006 Feeding preterm infants after hospital discharge: a commentary by the ESPGHAN Committee on Nutrition. Journal of Pediatric Gastroenterology and Nutrition, 42, 596-603.
8. Lapillonne A, Bronsky J, Campoy C, et al. Feeding the Late and Moderately Preterm Infant: A Position Paper of the European Society for Paediatric Gastroenterology, Hepatology and Nutrition Committee on Nutrition. J Pediatr Gastroenterol Nutr. 2019;69(2):259-270.

9. Knol J et al. Increase of faecal bifidobacteria due to dietary oligosaccharides induces a reduction of clinically relevant pathogen germs in the faeces of formula-fed preterm infants. *Acta Paediatrica*, 2005; 94(Suppl 449): 31–33.
10. Bruzzese E et al. Early administration of GOS/FOS prevents intestinal and respiratory infections in infants. *J Pediatr Gastroenterol Nutr*. 2006; 42 (5): E95.
11. Westerbeek EAM et al. Neutral and acidic oligosaccharides in preterm infants: a randomized, double-blind, placebo-controlled trial. *Am J Clin Nutr* 2010; 91:679-86.
12. Westerbeek EAM et al. Design of a randomised controlled trial on immune effects of acidic and neutral oligosaccharides in the nutrition of preterm infants: carrot study. *BMC Pediatrics* 2008, 8:46.
13. Roy CC et al. Correction of the malabsorption of the preterm infant with a medium-chain triglyceride formula. *J Pediatr*. 1975;86(3):446-50.
14. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306.
15. Liu L et al. Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. *J Lipid Res*. 2014;55(3):531-9.
16. Wijendran V et al. Efficacy of dietary arachidonic acid provided as triglyceride or phospholipid as substrates for brain arachidonic acid accretion in baboon neonates. *Pediatr Res*. 2002;51(3):265-72.
17. Bar-Yoseph F et al. Review of sn-2 palmitate oil implications for infant health. *Prostaglandins Leukot Essent Fatty Acids*. 2013;89(4):139-43.
18. Yaron, S. et al. Nutr. 2013 Apr;56(4):376-81 Effect of high-palmitate content in infant formula on the intestinal microbiota of term infants. *J Pediatr Gastroenterol*.
19. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
20. Moltu, S J, et al. "Nutritional management of the critically ill neonate: A Position Paper of the ESPGHAN Committee on Nutrition." *Journal of pediatric gastroenterology and nutrition*. 2021: 274-289.
21. Comparativo realizado entre produtos da mesma categoria, em 11/2025, utilizando informações extraídas da tabela nutricional
22. Salminen S, Szajewska H, Knol J. The Biotics Family in Early Life. Edited Wiley: vol. 4, 2019
23. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr*. 2002;34(3):291-5.
24. Goh CY, Limpt KV, Bongers R, Low SY, Bartke N, Knol J et al. Combination of short-chain GOS and long-chain FOS 9:1 with 2FL positively impact the infant gut microbiota composition and metabolic activity in a stimulator of the human intestinal microbial ecosystem (SHIME). *J Pediatr Gastroenterol Nutr* 2019; 68 (S1): NP 114; 1159.
25. Xiao, Ling, et al. "The combination of 2'-fucosyllactose with short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides that enhance influenza vaccine responses is associated with mucosal immune regulation in mice." *The Journal of nutrition* 149.5 (2019): 856-869.
26. Ballard, Olivia, and Ardythe L. Morrow. "Human milk composition: nutrients and bioactive factors." *Pediatric Clinics* 60.1 (2013): 49-74.
27. American Academy of Pediatrics Committee on Nutrition. Nutritional needs of preterm infants. In: Kleinman RE, Greer FR, editors. *Pediatric nutrition handbook*. 8th ed. Itasca: American Academy of Pediatrics; 2020.
28. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020. 1
29. Sociedade Brasileira de Pediatria (SBP). Monitoramento do crescimento de RN pré-termos. Departamento Científico de Neonatologia. Disponível em: https://www.sbp.com.br/fi/leadmin/user_upload/2017/03/Neonatologia-Monitoramento-do-cresc-do-RN-pt-270117.pdf.
30. Sociedade Brasileira de Pediatria. Departamento Científico de Nutrologia. Nutrologia pediátrica: temas da atualidade em nutrologia pediátrica – 2021. São Paulo: SBP; 2021. Disponível em: https://www.sbp.com.br/fi/leadmin/user_upload/Manual_de_atualidades_em_Nutrologia_2021_-_SBP_SITE.pdf
31. Tratado de Pediatria/organização Sociedade Brasileira de Pediatria – 5.ed.-Barueri{SP}:Manole, 2022. pp 829-847

32. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. *International Journal of Nutrology*, 13(1), 2–16.
33. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
34. Zubler et al. Evidence-informed milestones for developmental surveillance tools *Pediatrics*. 2022; 149 (3)
35. Moreno Villares JM, Collado MC, Larqué E, Leis Trabazo R, Saenz De Pipaón M, Moreno Aznar LA. The first 1000 days: an opportunity to reduce the burden of noncommunicable diseases. *Nutr Hosp*. 2019 Mar 7;36(1):218-232.
36. Mun JG, Legette LL, Ikonte CJ, Mitmesser SH. Choline and DHA in Maternal and Infant Nutrition: Synergistic Implications in Brain and Eye Health. *Nutrients*. 2019 May 21;11(5):1125.
37. DERBYSHIRE, Emma; OBEID, Rima. *Choline, neurological development and brain function: A systematic review focusing on the first 1000 days*. *Nutrients*, v. 12, n. 6, p. 1731, 2020.
38. Dallas DC, Murray NM, Gan J. Proteolytic Systems in Milk: Perspectives on the Evolutionary Function within the Mammary Gland and the Infant. *J Mammary Gland Biol Neoplasia*. 2015 Dec;20(3-4):133-47 .

REFERÊNCIAS APTAMIL - IFFO

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
2. Zubler et al. Evidence-informed milestones for developmental surveillance tools *Pediatrics*. 2022; 149 (3)
3. Moreno Villares JM, Collado MC, Larqué E, Leis Trabazo R, Saenz De Pipaón M, Moreno Aznar LA. The first 1000 days: an opportunity to reduce the burden of noncommunicable diseases. *Nutr Hosp*. 2019 Mar 7;36(1):218-232.
4. Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am*. 2013;60(1):49-74.
5. Koletzko B et al. Lower protein in infant formula is associated with lower weight up to age 2 y: a randomized clinical trial. *Am J Clin Nutr*. 2009; 89: 1836–45.
6. Dallas DC, Murray NM, Gan J. Proteolytic Systems in Milk: Perspectives on the Evolutionary Function within the Mammary Gland and the Infant. *J Mammary Gland Biol Neoplasia*. 2015 Dec;20(3-4):133-47 .
7. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306
8. Liu L et al. Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. *J Lipid Res*. 2014;55(3):531-9
9. Bar-Yoseph F et al. Review of sn-2 palmitate oil implications for infant health. *Prostaglandins Leukot Essent Fatty Acids*. 2013;89(4):139-43
10. Salminen S, Szajewska H, Knol J. *The Biotics Family in Early Life*. Edited Wiley: vol. 4, 2019
11. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr*. 2002;34(3):291-5
12. Bruzzese E et al. A formula containing galacto- and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study. *Clin Nutr*. 2009;28(2):156-61
13. Oozeer R et al. Intestinal microbiology in early life: specific prebiotics can have similar functionalities as human-milk oligosaccharides. *Am J Clin Nutr*. 2013;98(2):561S-71S.
14. Scholtens PA et al. Stool characteristics of infants receiving short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides: a review. *World J Gastroenterol*. 2014;20(37):13446-52.
15. Vandenplas Y et al. A partly fermented infant formula with postbiotics including 3'-GL, specific oligosaccharides, 2'-FL, and milk fat supports adequate growth, is safe and well-tolerated in

- healthy term infants: a double-blind, randomised, controlled, multi-country trial. *Nutrients*. 2020; 12(11):3960
16. Overbeek S et al. Human milk oligosaccharide 2'-fucosyllactose more efficiently modulates immunogenicity during maturation of human dendritic cells in the presence of scGOS/lcFOS prebiotics. *JPGN*. 2019;58:995
 17. Comparativo realizado entre produtos da mesma categoria, em 02/2025, utilizando informações extraídas da tabela nutricional
 18. Dinleyici M, Barbieur J, Dinleyici EC, Vandenplas Y. Functional effects of human milk oligosaccharides (HMOs). *Gut Microbes*. 2023 Jan-Dec;15(1):2186115.
 19. Luque V, Closa-Monasterolo R, Escibano J, Ferré N. Early Programming by Protein Intake: The Effect of Protein on Adiposity Development and the Growth and Functionality of Vital Organs. *Nutr Metab Insights*. 2016 Mar 20;8(Suppl 1):49-56.
 20. Vandenplas Y, Latiff AHA, Fleischer DM, Gutiérrez-Castrellón P, Miqdady MS, Smith PK, von Berg A, Greenhawt MJ. Partially hydrolyzed formula in non-exclusively breastfed infants: A systematic review and expert consensus. *Nutrition*. 2019 Jan;57:268-274.
 21. Fleischer DM, Chan ES, Venter C, Spergel JM, Abrams EM, Stukus D, Groetch M, Shaker M, Greenhawt M. A Consensus Approach to the Primary Prevention of Food Allergy Through Nutrition: Guidance from the American Academy of Allergy, Asthma, and Immunology; American College of Allergy, Asthma, and Immunology; and the Canadian Society for Allergy and Clinical Immunology. *J Allergy Clin Immunol Pract*. 2021 Jan;9(1):22-43.e4.
 22. Prevalência e práticas de aleitamento materno em crianças brasileiras menores de 2 anos - ENANI-2019
 23. Mun JG, Legette LL, Ikonte CJ, Mitmesser SH. Choline and DHA in Maternal and Infant Nutrition: Synergistic Implications in Brain and Eye Health. *Nutrients*. 2019 May 21;11(5):1125.
 24. Nowacki J, Lee HC, Lien R, Cheng SW, Li ST, Yao M, Northington R, Jan I, Mutungi G. Stool fatty acid soaps, stool consistency and gastrointestinal tolerance in term infants fed infant formulas containing high sn-2 palmitate with or without oligofructose: a double-blind, randomized clinical trial. *Nutr J*. 2014 Nov 5;13:105.
 25. DERBYSHIRE, Emma; OBEID, Rima. *Choline, neurological development and brain function: A systematic review focusing on the first 1000 days*. *Nutrients*, v. 12, n. 6, p. 1731, 2020.

Infatrini

1. ASPEN. Nutrition Management of Term Infants with Growth Failure. 2022
2. Codex Alimentarius FAO/OMS. Standard for infant formula and formulas for special medical purposes intended for infants. Codex Stan 72 – 1981. Revised 2007/2011.
3. Gahagan S. Failure to Thrive: A Consequence of Undernutrition. Pediatrics in Review Vol.27 No.1 January 2006
4. Clarke SE, Evans S, MacDonald A, Davies P, Booth IW. Randomized comparison of a nutrient-dense formula with an energy-supplemented formula for infants with faltering growth. J Hum Nutr Diet. 2007;20(4):329-339.
5. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
6. Comparado a fórmula infantil para lactentes e de seguimento para lactentes e crianças de primeira infância. Setembro 2024.
7. Pencharz PB. Protein and energy requirements for “optimal” catch-up growth. EJCN.2010;64: S5-7.
8. FAO/WHO/UNU. Protein and amino acid requirements in human nutrition: report of a joint 33.FAO/WHO/UNU expert consultation. WHO technical report series no. 935, 2007.p.187
9. Uauy R, Mena P, Rojas C. Essential fatty acids in early life: structural and functional role. Proc Nutr Soc. 2000; 59:3-15.
10. Uauy R, Hoffman DR, Mena P, Llanos A, Birch EE. Term infant studies of DHA and ARA supplementation on neurodevelopment: results of randomized controlled trials. J Pediatr. 2003;143:S17-25.
11. SanGiovanni JP, Berkey CS, Dwyer JT, Colditz GA. Dietary essential fatty acids, long-chain polyunsaturated fatty acids, and visual resolution acuity in healthy full term infants: a systematic review. Early Hum Dev. 2000;57:165-88. 5
12. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. J Pediatr Gastroenterol Nutr. 2002;34(3):291-5.
13. Knol J et al. Colon microflora in infants fed formula with galacto- and fructo-oligosaccharides: more like breast-fed infants. J Pediatr Gastroenterol Nutr. 2005;
14. Bruzzese, Eugenia, et al. "A formula containing galacto-and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study." Clinical Nutrition 28.2 (2009): 156-161.
15. Falcão MC, Udsen N, Zamberlan P, Ceccon MER. Rev Bras Nutr Clin 2009; 24 (2): 125-30.
16. Mehta NM et al. Defining pediatric malnutrition: A paradigm shift toward etiology-related definitions. J Parenter Enter Nutr. 2013;37(4):460–81.
17. Antonella, et al. “Prevalence and outcome of malnutrition in pediatric patients with chronic diseases: Focus on the settings of care.” Clinical Nutrition 38.4 (2019): 1877-1882.
18. Joosten K, Meyer R. Nutritional screening and guidelines for managing the child with faltering growth. EJCN. 2010;64:S23-S24

19. Habibzadeh, H. Jafarizadeh, A. DIDARLOO. Determinants of failure to thrive (FTT) among infants aged 6-24 months: a case-control study. *J prev med hyg* 2015; 56: E180-E186. 9
20. Braegger C, Decsi T, Dias JA, Hartman C, Kolaček S, Koletzko B et al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. *JPGN*; 2010;51(1):110-122
21. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
22. World Health Organization. Safe preparation, storage and handling of powdered infant formula [Online] 2007. Available at http://www.who.int/foodsafety/publications/micro/pif_guidelines.pdf
23. World Health Organization. Protein and amino acid requirements in human nutrition. Report of a Joint WHO/FAO/UNU Expert Consultation. *World Health Organ Tech Rep Ser* 2007; (935): 1– 265
24. Slicker J, et al. Nutrition algorithms for infants with hypoplastic left heart syndrome; birth through the first interstage period. *Congenit Heart Dis*. 2013 Mar-Apr;8(2):89-102.
25. Steele JR, et al. Determining the osmolality of over-concentrated and supplemented infant formulas. *J Hum Nutr Diet*. 2013 Feb;26(1):32-7.
26. Roman, B. Nourishing little hearts: Nutritional implications for congenital heart defects. *Practical Gastroenterology*. 2011.35(8):11-34.
27. Pereira-da-Silva L, et al. Osmolality of preterm formulas supplemented with nonprotein energy supplements. *Eur J Clin Nutr*. 2008 Feb;62(2):274-8.
28. Alsoufi B, et al. Low-weight infants are at increased mortality risk after palliative or corrective cardiac surgery. *J Thorac Cardiovasc Surg*. 2014 Dec;148(6):2508-14.e1.
29. Reddy VM. Low birth weight and very low birth weight neonates with congenital heart disease: timing of surgery, reasons for delaying or not delaying surgery. *Semin Thorac Cardiovasc Surg Pediatr Card Surg Annu*. 2013;16(1):13-20.
30. Carvalho LR, et al. Hazard analysis and critical control point system approach in the evaluation of environmental and procedural sources of contamination of enteral feedings in three hospitals. *JPEN J Parenter Enteral Nutr*. 2000 Sep-Oct;24(5):296-303.
31. Fagerman KE. Limiting bacterial contamination of enteral nutrient solutions: 6-year history with reduction of contamination at two institutions. *Nutr Clin Pract*. 1992 Feb;7(1):31-6.
32. Labiner-Wolfe J, et al. Infant formula-handling education and safety. *Pediatrics*. 2008 Oct;122 Suppl 2:S85-90.