

REFERÊNCIAS BIBLIOGRÁFICAS

VA Neurodesenvolvimento

TELA 1

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4^a ed. Rio de Janeiro, 2018.
2. Zubler et al. Evidence-informed milestones for developmental surveillance tools Pediatrics. 2022; 149 (3)
3. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. International Journal of Nutrology, 13(1), 2–16.
4. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
5. Sociedade Brasileira de Pediatria. Guia de orientações - Dificuldades alimentares. Departamento Científico de Nutrologia São Paulo: SBP, 2022.

TELAS 2,4,5,6,7

1. Salminen S et al. *The Bifidobacterial Family in Early Life*. Eds: Wiley; vol 4, 2019.
2. Aguinam G & Hsiao BY. Cat, 2021; 29:2524-2525.
3. Raitska A et al. *Nutrients*; 2021; 13(2):423-8.
4. Karakan T et al. *Nutrients*; 2021; 13(3):8-18.
5. Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am*. 2013;60(1):49-74.
6. Koletzko B et al. Lower protein in infant formula is associated with lower weight up to age 2 y: a randomized clinical trial. *Am J Clin Nutr*. 2009; 89: 1836–45.
7. Dallas DC, Murray NM, Gan J. Proteolytic Systems in Milk: Perspectives on the Evolutionary Function within the Mammary Gland and the Infant. *J Mammary Gland Biol Neoplasia*. 2015 Dec;20(3-4):133-47 .
8. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306
9. Liu L et al. Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. *J Lipid Res*. 2014;55(3):531-9
10. Bar-Yoseph F et al. Review of sn-2 palmitate oil implications for infant health. *Prostaglandins Leukot Essent Fatty Acids*. 2013;89(4):139-43
11. Salminen S, Szajewska H, Knol J. *The Biotics Family in Early Life*. Edited Wiley: vol. 4, 2019

12. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr.* 2002;34(3):291-5
13. Buzzese E et al. A formula containing galacto- and fructooligosaccharides prevents intestinal and extra-intestinal infections: an observational study. *Clin Nutr.* 2009;28(2):156-61
14. Oozeer R et al. Intestinal microbiology in early life: specific prebiotics can have similar functionalities as human-milk oligosaccharides. *Am J Clin Nutr.* 2013;98(2):561S-71S.
15. Scholtens PA et al. Stool characteristics of infants receiving short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides: a review. *World J Gastroenterol.* 2014;20(37):13446-52.
16. Vandenplas Y et al. A partly fermented infant formula with postbiotics including 3'-GL, specific oligosaccharides, 2'-FL, and milk fat supports adequate growth, is safe and well-tolerated in healthy term infants: a double-blind, randomised, controlled, multi-country trial. *Nutrients.* 2020; 12(11):3960
17. Overbeek S et al. Human milk oligosaccharide 2'-fucosyllactose more efficiently modulates immunogenicity during maturation of human dendritic cells in the presence of scGOS/IcFOS prebiotics. *JPGN.* 2019;58:995
18. Mun JG, Legette LL, Ikonte CJ, Mitmesser SH. Choline and DHA in Maternal and Infant Nutrition: Synergistic Implications in Brain and Eye Health. *Nutrients.* 2019 May 21;11(5):1125.
19. Derbyshire E, Obeid R. Choline, Neurological Development and Brain Function: A Systematic Review Focusing on the First 1000 Days. *Nutrients.* 2020 Jun 10;12(6):1731
20. Comparativo realizado entre produtos da mesma categoria, em 06/2025, utilizando informações extraídas da tabela nutricional
21. Dinleyici M, Baribeau J, Dinleyici EC, Vandenplas Y. Functional effects of human milk oligosaccharides (HMOs). *Gut Microbes.* 2023 Jan-Dec;15(1):2186115.
22. Luque et al. Early Programming by Protein Intake: The Effect of Protein on Adiposity Development and the Growth and Functionality of Vital Organs. *Nutrition and Metabolic Insights* 2015;8(S1) 49–56.
23. Koletzko B et al. Lower protein in infant formula is associated with lower weight up to age 2 y: a randomized clinical trial. *Am J Clin Nutr.* 2009; 89: 1836–45.

TELAS 3 e 8

1. SBP. Sociedade Brasileira de Pediatria – Departamento de Nutrologia Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e

- segurança alimentar / Sociedade Brasileira de Pediatria. Departamento Científico de Nutrologia. – 4^a. ed. - São Paulo: SBP, 2018. 172 p
- 2. Zubler et al. Evidence-informed milestones for developmental surveillance tools *Pediatrics*. 2022; 149 (3).
 - 3. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. *International Journal of Nutrology*, 13(1), 2–16.
 - 4. Nogueira-de-Almeida, C. A., Vilanova, K. C. M., Perini, T. M., Filho, D. R. (2024). Alimentação da Criança de Zero a Cinco Anos. Manual do Departamento de Nutrologia, ABRAN.
 - 5. Hojsak, I. et al. Young Child Formula: A Position Paper by the ESPGHAN Committee on NutritionJPGN 2018;66: 177-185.
 - 6. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306
 - 7. Eussem SRBM, et al. Theoretical Impact of Replacing Whole Cow's Milks by Young-Child Formula on Nutrient Intakes of UK Young Children: Results of a Simulation Study. *Annals of Nutrition and Metabolism*, 2015; 67(4):247-56)
 - 8. Institute of Medicine. Dietary Reference Intakes; The Essential Guide to Nutrient Requirements (2006) - Comparativo vs as necessidades nutricionais de adultos
 - 9. Arrieta MC, Stiensma LT, Ameyogbe N, Brown EM, Finlay B. The intestinal microbiome in early life: health and disease. *Front Immunol*. 2014 Sep 5;5:427. doi: 10.3389/fimmu.2014.00427. PMID: 25250028; PMCID: PMC4155789.
 - 10. Salminen S, Szajewska H, Knel J. The Biotics Family in Early Life, Edited Wiley: vol. 4, 2019
 - 11. Dekaban, A; Sadowsky, D. Changes in brain weights during the span of human life: Relation of brain weights to body heights and body weights. *Annals of Neurology* Vol. 4 Issue 4 Oct. 1978.
 - 12. Lenroot, R; Giedd, J.N. Brain development in children and adolescents: insights from anatomical magnetic resonance imaging. *Neurosci Biobehav Rev*. 2006;30(6):718-2.
 - 13. Colombo, J. et al. Long Chain Polyunsaturated Fatty Acid Supplementation in Infancy Reduces Heart Rate and Positively Affects Distribution of Attention. *Pediatr Res*. 2011 Oct; 70(4): 406–410.
 - 14. Costantini L et al: Impact of Omega-3 Fatty Acids on the Gut Microbiota, *Int. J. Mol. Sci.* 2017;18(2), 2645.
 - 15. Gilmore JH, Knickmeyer RC, Gao W. Imaging structural and functional brain development in early childhood. *Nat Rev Neurosci*. 2018 Feb 16;19(3):123-137. doi: 10.1038/nrn.2018.1. PMID: 29449712; PMCID: PMC5987539.
 - 16. Mun JG, Legette LL, Ikonte CJ, Mitmesser SH. Choline and DHA in Maternal and Infant Nutrition: Synergistic Implications in Brain and Eye Health. *Nutrients*. 2019 May 21;11(5):1125.
 - 17. Moro G et al. Desago-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr*. 2002;34(3):291-5.

18. Bruzzese, Eugenia, et al. "A formula containing galacto-and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study." *Clinical Nutrition* 28.2 (2009): 156-161.
19. Oozeer R et al. Intestinal microbiology in early life: specific prebiotics can have similar functionalities as human-milk oligosaccharides. *Am J Clin Nutr.* 2013;98(2):561S-71S.
20. Vandenplas Y et al. A partly fermented infant formula with postbiotics including 3'-GL, specific oligosaccharides, 2'-FL, and milk fat supports adequate growth, is safe and well-tolerated in healthy term infants: a double-blind, randomised, controlled, multi-country trial. *Nutrients.* 2020; 12(11):3960
21. Overbeek S et al. Human milk oligosaccharide 2'-fucosyllactose more efficiently modulates immunogenicity during maturation of human dendritic cells in the presence of scGOS/IcFOS prebiotics. *JPGN.* 2019;58:995
22. Dinleyici M, Barbier J, Dinleyici EC, Vandenplas Y. Functional effects of human milk oligosaccharides (HMOs). *Gut Microbes.* 2023 Jan-Dec;15(1):2186115
23. Shahremian, iraj, et al. "The effects of prebiotic supplementation on weight gain, diarrhoea, constipation, fever and respiratory tract infections in the first year of life" *Journal of paediatrics and child health* 54.8 (2018): 875-880
24. Comparativo realizado entre produtos da mesma categoria, em 06/2025, utilizando informações extraídas da tabela nutricional
25. Luque et al. Early Programming by Protein Intake: The Effect of Protein on Adiposity Development and the Growth and Functionality of Vital Organs. *Nutrition and Metabolic Insights* 2015;8(S1) 49–56.
26. Koletzko B et al. Lower protein in infant formula is associated with lower weight up to age 2 y: a randomized clinical trial. *Am J Clin Nutr.* 2009; 89: 1836–45.