

REFERÊNCIAS BIBLIOGRÁFICAS

Kit Crescimento

Lâmina – Árvore de Decisão

1. Eussem SRBM, et al. Theoretical Impact of Replacing Whole Cow's Milks by Young-Child Formula on Nutrient Intakes of UK Young Children: Results of a Simulation Study. *Annals of Nutrition and Metabolism*, 2015; 67(4):247-56)
2. Institute of Medicine (IOM). Dietary Reference Intakes - The Essential Guide to Nutrient Requirements. Washi The National Academies Press: 2006.
3. Nogueira-de-Almeida, C. A., Ribas Filho, D., Philippi, S. T., Pimentel, C. V. de M. B., Korkes, H. A., Mello, E. D. de, Bertolucci, P. H. F., & Falcão, M. C. (2022). II Consensus of the Brazilian Nutrology Association on DHA recommendations during pregnancy, lactation and childhood. *International Journal of Nutrology*, 15(3). <https://doi.org/10.54448/ijn22302>
4. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. *International Journal of Nutrology*, 13(1), 2–16.
5. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
6. Zubler et al. Evidence-informed milestones for developmental surveillance tools *Pediatrics*. 2022; 149 (3)
7. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr*. 2002;34(3):291-5.
8. Bruzzese, Eugenia, et al. "A formula containing galacto-and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study." *Clinical Nutrition* 28.2 (2009): 156-161.
9. Salminen S, Szajewska H, Knol J. The Biotics Family in Early Life. Edited Wiley: vol. 4, 2019
10. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-6.
11. Liu L et al. Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. *J Lipid Res*. 2014;55(3):531-9
12. Graf et al. Age dependent incorporation of 14C-DHA into rat brain and body tissues after dosing various 14C-DHA-esters. *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)*. 2010; 83 (2):89-96.
13. Wijendran V et al. Efficacy of dietary arachidonic acid provided as triglyceride or phospholipid as substrates for brain arachidonic acid accretion in baboon neonates. *Pediatr Res*. 2002;51(3):265-72

14. Luque et al. Early Programming by Protein Intake: The Effect of Protein on Adiposity Development and the Growth and Functionality of Vital Organs. *Nutrition and Metabolic Insights* 2015;8(S1) 49–56.
15. Ballard, Olivia, and Ardythe L. Morrow. "Human milk compaction nutrients and bioactive factors." *Podiatric Clinics* 601 (2013): 49-74.
16. Koletzko B et al. Global standard for the composition of infant formula: recommendations of an ESPGHAN coordinated international expert group. *J Pediatr Gastroenterol Nutr.* 2005 Nov;1(5) 584-99
17. Villares JM et al. *Nutr Hosp* 2019;36(1):218-232.
18. Institute of Medicine (IOM). *Dietary Reference Intakes - The Essential Guide to Nutrient Requirements*. Washington: The National Academies Press; 2006.
19. Dekaban, A; Sadowsky, D. Changes in brain weights during the span of human life: Relation of brain weights to body heights and body weights. *Annals of Neurology* Vol. 4 Issue 4 Oct. 1978.
20. Lenroot, R; Giedd, J.N. Brain development in children and adolescents: insights from anatomical magnetic resonance imaging. *Neurosci Biobehav Rev.* 2006;30(6):718-2.
21. Resolução da Diretoria Colegiada - RDC nº44, de 19 de setembro de 2011.
22. Sociedade Brasileira de Pediatria. *Guia de orientações - Dificuldades alimentares*. Departamento Científico de Nutrologia São Paulo: SBP, 2022
23. Kerzner B, Milano K, MacLean WC, et al. A Practical approach to classifying and managing feeding difficulties. 2015; 135(2):344-35
24. Nogueira CA, Mello E, Filho DR, Maximino P, Fisberg M. Consenso da Associação Brasileira de Nutrologia sobre o uso de suplementos alimentares para crianças com dificuldades alimentares. *Int J Nutrol* 2018;11(supl S1):S4–S15
25. *Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed.* - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
26. NICE Guideline. *Faltering growth: recognition and management of faltering growth in children*. 2017.
27. Mehta NM et al. Defining pediatric malnutrition: A paradigm shift toward etiology-related definitions. *J Parenter Enter Nutr.* 2013;37(4):460–81.
28. Braegger C, Decsi T, Dias JA, Hartman C, Kolaček S, Koletzko B et al. *Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition*. *JPGN*; 2010;51(1):110-122
29. Antonella, et al. "Prevalence and outcome of malnutrition in pediatric patients with chronic diseases: Focus on the settings of care." *Clinical Nutrition* 38.4 (2019): 1877-1882.
30. Joosten K, Meyer R. Nutritional screening and guidelines for managing the child with faltering growth. *EJCN*. 2010;64:S23-S24
31. H. Habibzadeh, H. Jafarzadeh, A. DIDARLOO. Determinants of failure to thrive (FTT) among infants aged 6-24 months: a case-control study. *J prev med hyg* 2015; 56: E180-E186.
32. Mehta NM et al. Defining pediatric malnutrition: A paradigm shift toward etiology-related definitions. *J Parenter Enter Nutr.* 2013;37(4):460–81.
33. ASPEN. *Nutrition Management of Term Infants with Growth Failure*. 2022

34. Samuel T. Nutrients, 2018 Review (Table 1 Overview of Prevalence per Country)
35. Ekstein S. Clin Pediatr, 2010.
36. Scholtens PAMJ, Goosens DAM, Staiano A. (2014). Stool characteristics of infants receiving short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides: A review. World J Gastroenterol, 20(37), 13446-13452.
37. Knol et al. (2005). Colon microflora in infants fed formula with galacto- and fructooligosaccharides: more like breast-fed infants. J Pediatr Gastroenterol Nutr, 40(1), 36-42
38. Food and Agriculture Organization of the United Nations. (2010). Fats and fatty acids in human nutrition. Report of an expert consultation. Food and Nutrition Paper 91.
39. Scheeffer V et al. JPGN 2018; Suppl 67: S385-386.
40. Eveleens RD et al. J Hum Nutr Diet 2019; 32: 3-10.
41. Nogueira-de-Almeida, C.A.; Del Ciampo, L.A.; Martinez, E.Z.; Contini, A.A.; Nogueira-de-Almeida, M.E.; Ferraz, I.S.; Epifanio, M.; da Veiga Ued, F. Clinical Evolution of Preschool Picky Eater Children Receiving Oral Nutritional Supplementation during Six Months: A Prospective Controlled Clinical Trial. Children 2023, 10, 495.
42. Comparado a fórmula infantil para lactentes e de seguimento para lactentes e crianças de primeira infância. Julho/2024
43. Falcão MC, Udsen N, Zamberlan P, Ceccon MER. Rev Bras Nutr Clin 2009; 24 (2): 125-30.
44. Clarke SE, Evans S, MacDonald A, Davies P, Booth IW. Randomized comparison of a nutrient-dense formula with an energy-supplemented formula for infants with faltering growth. J Hum Nutr Diet. 2007;20(4):329-339.
45. Pencharz PB. Protein and energy requirements for “optimal” catch-up growth. EJCN.2010;64: S5-7
46. FAO/WHO/UNU. Protein and amino acid requirements in human nutrition: report of a joint FAO/WHO/UNU expert consultation. WHO technical report series no. 935, 2007.p.187
47. Devaera, Y., Syaharutsa, D. M., Jatmiko, H. K., & Sjarif, D. R. Comparing Compliance and Efficacy of Isocaloric Oral Nutritional Supplementation Using 1.5 kcal/mL or 1 kcal/mL Sip Feeds in Mildly to Moderately Malnourished Indonesian Children: A Randomized Controlled Trial. Pediatric gastroenterology, hepatology & nutrition, 21(4), 315–320.
48. Comparado com Fórmula Pediátrica com 1Kcal/ml