

REFERÊNCIAS BIBLIOGRÁFICAS

CALENDÁRIO 2025

1. Liu J, et al. Amino Acid Availability of a Dairy and Vegetable Protein Blend Compared to Single Casein, Whey, Soy, and Pea Proteins: A Double-Blind, Cross-Over Trial. *Nutrients*. 2019 Nov 1;11(11):2613
2. Goelen N, et al. Effect of protein composition of enteral formula on gastric content volume during continuous feeding: A randomized controlled cross-over study in healthy adults. *Clin Nutr*. 2021 May;40(5):2663- 2672.
3. Braak CC, et al. A novel protein mixture containing vegetable proteins renders enteral nutrition products non-coagulating after in vitro gastric digestion. *Clinical nutrition (Edinburgh, Scotland)* 2013; 32(5):765-71.
4. Liu J, et al. Specific protein mixture reduces coagulation: An in vitro stomach model study mimicking a gastric condition in critically ill patients. *ESPEN 2016* 2016; MON-P182
5. Marlett, JA. et al. Position of the American Dietetic Association: health implications of dietary fiber. *J. Am Dietetic Assoc.* 102 (7), 2002, 993-1000.
6. Ilsi Brasil. Funções plenamente reconhecidas. Disponível em: <http://ilsi.org/publication/funcoes-plenamente-reconhecidas/>. Jan 2014.
7. Bernaud FSR; Rodrigues, TC. Fibra Alimentar – Ingestão adequada e efeitos sobre a saúde do metabolismo. *Arq Bras Endocrinol Metab*. 2013;57/6
8. Yagmurdur H, Leblebici F. Enteral nutrition preference in critical care: fibre-enriched or fibre-free? *Asia Pac J Clin Nutr*. 2016 Dec;25(4):740-746.
9. Jakobsen LH, Wirth R, Smoliner C, Klebach M, Hofman Z, Kondrup J. Gastrointestinal tolerance and plasma status of carotenoids, EPA and DHA with a fiber-enriched tube feed in hospitalized patients initiated on tube nutrition: Randomized controlled trial. *Clin Nutr*. 2017 Apr;36(2):380-388
10. Daly A, Johnson T, MacDonald A. Is fibre supplementation in pediatric sip feeds beneficial? *J Hum Nutr Diet*. 2004 Aug;17(4):365-70. doi: 10.1111/j.1365-277X.2004.00535.x. PMID: 15250846.
11. Roy et al. New lipids in enteral feeding. *Curr Opin Clin Nutr Metab Care* (2004) 7:117– 122.
12. Waitzberg, DL. Nutrição oral, enteral e parenteral na prática clínica/ Dan L. Waitzberg.- 4edição-São Paulo: Editora Atheneu,2009
13. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306.

14. Supinski GS, Schroder EA, Callahan LA. Mitochondria and Critical Illness. *Chest*. 2020 Feb;157(2):310-322.
15. Quasim T, McMillan DC, Talwar D, Sattar N, O'Reilly DS, Kinsella J. Lower concentrations of carotenoids in the critically ill patient are related to a systemic inflammatory response and increased lipid peroxidation. *Clin Nutr*. 2003 Oct;22(5):459-62.
16. Galley HF. Oxidative stress and mitochondrial dysfunction in sepsis. *Br J Anaesth*. 2011 Jul;107(1):57-64.
17. Amengual J. Bioactive Properties of Carotenoids in Human Health. *Nutrients*. 2019 Oct 6;11(10):2388.
18. DIRETRIZES DA SOCIEDADE BRASILEIRA DE DIABETES 2019-2020. Parte 4 – Tratamento do diabetes mellitus: medidas de estilo de vida.
19. Lansink M. et al. Lower postprandial glucose responses at baseline and after 4 weeks use of a diabetes-specific formula in diabetes type 2 patients. *Diabetes Res Clin Pract*. 2011 Sep;93(3):421-9
20. Maresch CC. et al. Low Glycemic Index Prototype Isomaltulose—Update of Clinical Trials/ *Nutrients* 2017, 9, 381
21. Lombard K, et al. Compliance of energy-dense, small volume oral nutritional supplements in the daily clinical practice on a geriatric Ward—an observational study. *J Nutr Health Aging*, 2014;18(7):649-653.
22. Hubbard GP, et al. A systematic review of compliance to oral nutritional supplements. *Clin nutri*, 2012;31(3):293-312
23. Volkert D et al. ESPEN Guidelines on Enteral Nutrition: Geriatrics. *Clin Nutr*. 2006 Apr;25(2):330-60.
24. Kreymann KG, Berger MM et al. ESPEN Guidelines on Enteral Nutrition: Intensive care. *Clin Nutr*. 2006 Apr;25(2):210-23.
25. Lansink M, et al. Improved Glucose Profile in Patients With Type 2 Diabetes With a New, High-Protein, Diabetes-Specific Tube Feed During 4 Hours of Continuous Feeding. *JPEN J Parenter Enteral Nutr*. 2017 Aug;41(6):968-975.
26. Vaisman N, et al. Tube feeding with a diabetes-specific feed for 12 weeks improves glycaemic control in type 2 diabetes patients. *Clin Nutr*. 2009 Oct;28(5):549-55. doi: 10.1016/j.clnu.2009.05.004. Epub 2009 Jun 6. PMID: 19501937.
27. Matos LBN et al. Campanha Diga Não à Lesão por Pressão. *BRASPEN J* 2020; 35 (Supl 1):2-32.

28. European Pressure Ulcer Advisory Panel - EPUAP - Prevenção e tratamento de úlceras por pressão / lesões: prática clínica Diretriz. A Diretriz Internacional. Emily Haesler (Ed.). EPUAP / NPIAP / PPPIA: 2019.
29. Mendes D, et al. A importância da nutrição no processo de Cicatrização de Feridas. Revista Científica Univiçosa. 2017; 9(1).
30. Meyers NA, et al. Nutrient support of the healing wound. New Horiz. 1994; 2(2):202-214.
31. Diretrizes da Sociedade Brasileira de Diabetes 2019-2020
32. Stratton RJ, Marinos E. A review of reviews: A new look at the evidence for oral nutritional supplements in clinical practice. Clinical Nutrition Supplements, 2007;2: 5–23
33. Faxen Irving G, Cederholm T. Energy rich formula distribution at medication rounds to elderly geriatric patients: feasibility and potential effects on energy intake. Clinical Nutrition (2007) 2, 33- 34.
34. Hubbard GP, et al. A randomized, controlled trial of the effects of an energy dense supplement on energy intake, appetite and blood lipids in malnourished community-based elderly patients. J Human Nut and Dietetics, 2008;21(4):390-391
35. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020
36. Bragger C, Decsi T, Dias JA, Hartman C, Kolatsek S, Kolerzko Bet al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. JPGN; 2010.51(1):110-122
37. Srinivasan V. Stress Hyperglycemia in Pediatric Critical Illness: The Intensive Care Unit Adds to the Stress! Journal of Diabetes Science and Technology. 2012; 6(1)
38. Kesavadev. J, Misra A, Saboo Bet al, Blood glucose levels should be considered as a new vital sign indicative of prognosis during hospitalization. Diabetes & Metabolic Syndrome: Clinical Research & Reviews. 2021; (15)221:227
39. World Health Organization. Guideline: sugars intake for adults and children. 2015
40. Nogueira CA, Mello E, Filho DR, Maximino P, Fisberg M. Consenso da Associação Brasileira de Nutrologia sobre o uso de suplementos alimentares para crianças com dificuldades alimentares. Int J Nutrol 2018;11(suppl S1):S4–S15
41. Uay R, Mena P, Rojas C. Essential fatty acids in early life: structural and functional role. Proc Nutr Soc. 2005, 59:3-15

- 42.Uay R, Hoffman DR, Mena P, et al. Term infant studies of DHA and ARA - supplementation on neurodevelopment: results of randomized controlled trials. *J Pediatr*. 2003; 143:17-25
- 43.San Giovanni JP, Berkey CS, Dwyer JT, et al. Dietary essential fatty acids, long-chain polyunsaturated fatty acids, and visual resolution acuity in healthy full term infants: a systematic review. *Early Hum Dev*. 2000; 57:165-88.
- 44.Willatts P, Forsyth JS, DiModugno MK, et al. Effect of long-chain polyunsaturated fatty acids in infant formula on problem solving at 10 months of age *Lancet* 1998; 352:688-91
- 45.Clandinin MT et al. Extrauterine fatty acid accretion in infant brain: implications for fatty acid requirements. *Early Hum Dev*. 1980 Jun; 4(2): 131-8
- 46.Adults, the PROVIDE Study: A Randomized, Double-Blind, Placebo-Controlled Trial. *J Am Med Dir Assoc*. 2015 Sep; 16(9):740-7.
47. Paddon-Jones D, et al. *Curr Opin Clin Nutr Metab Care*. 2009 Jan; 12(1):86-90.
48. Cruz-Jentoft AJ, et al. *Age Ageing*. 2019 Jan; 48(1):16-31.
49. Morley, J, et al. Frailty Consensus: a call to action. *J Am Med Dir Assoc* 2013, June; 14(6): 392–397
50. Volkert D, et al. ESPEN guideline on clinical nutrition and hydration in geriatrics. *Clinical Nutrition* (2018) 1e38.
51. BRASPEN. Diretriz Braspen de terapia nutricional no envelhecimento. 2019.
52. SILVA, R R et al. Efeito da utilização de gomas na viscosidade e nas características sensoriais de shake à base de farinha de banana verde. *Braz. J. Food Technol.* [online]. 2018, vol.21 [citado 2019-09-30], e2016052
53. Burgos R et al. ESPEN guideline clinical nutrition in neurology. *Clinical Nutrition* 37 (2018) 354e396
54. Kerzner B, Milano K, MacLEan WC, et al. A Practical approach to classifying and managing feeding difficulties. 2015; 135(2):344-35
55. Xue Y, Lee E, Zheng Y et al., Prevalence of picky eating behaviour in Chinese school-age children and associations with anthropometric parameters and intelligence quotient. A cross-sectional study. *Appetite* 91 (2015) 248–255.
56. Maximino P, Ricci R, Machado RHV et al. Children with feeding difficulties have insufficient intake of vitamins, minerals, and dietary fiber. *Nutrire* volume 45, Article number: 22 (2020)
57. Guia de orientações - Dificuldades alimentares/ Sociedade Brasileira de Pediatria. Departamento Científico de Nutrologia. São Paulo: SBP, 2022.

58. Sociedade Brasileira de Pediatria – Departamento de Nutrologia. Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar - 4^a. ed. - São Paulo: SBP, 2018
59. NICE Guideline. Faltering growth: recognition and management of faltering growth in children. 2017
60. Mehta NM et al. Defining pediatric malnutrition: A paradigm shift toward etiology-related definitions. *J Parenter Enter Nutr.* 2013;37(4):460–81.
61. Comparado com Fórmula Pediatrica com 1Kcal/ml
62. Com base em levantamento bibliográfico realizado em 11/2024.
63. Nogueira-de-Almeida, C.A.; Del Ciampo, L.A.; Martinez, E.Z.; Contini, A.A.; Nogueira-de-Almeida, M.E.; Ferraz, I.S.; Epifanio, M.; da Veiga Ued, F. Clinical Evolution of Preschool Picky Eater Children Receiving Oral Nutritional Supplementation during Six Months: A Prospective Controlled Clinical Trial. *Children* 2023, 10, 495.
64. Cereda E, Klersy C, Serioli M, Crespi A, D'Andrea F; OligoElement Sore Trial Study Group. A nutritional formula enriched with arginine, zinc, and antioxidants for the healing of pressure ulcers: a randomized trial. *Ann Intern Med.* 2015 Feb 3;162(3):167- 74.
65. Cereda E, Klersy C, Andreola M, Pisati R, Schols JM, Caccialanza R, D'Andrea F; OligoElement Sore Trial (OEST) Study Group. Cost-effectiveness of a disease-specific oral nutritional support for pressure ulcer healing. *Clin Nutr.* 2017 Feb;36(1):246-252.
66. Cereda E, et al., A Nutritional Formula Enriched With Arginine, Zinc, and Antioxidants for the Healing of Pressure Ulcers. *Ann Intern Med.* 2015;162:167-174. doi:10.7326/M14-0696
67. van Anholt RD, Sobotka L, Meijer EP, Heyman H, Groen HW, Topinková E, van Leen M, Schols JM. Specific nutritional support accelerates pressure ulcer healing and reduces wound care intensity in non-malnourished patients. *Nutrition.* 2010 Sep;26(9):867-72.
68. Neyens J, Cereda E, Rozsos I, Molnár A, Rondas A, et al. (2017) Effects of an Arginine-enriched Oral Nutritional Supplement on the Healing of Chronic Wounds in Non-Malnourished Patients; A Multicenter Case Series from the Netherlands and Hungary. *J Gerontol Geriatr Res* 6: 420. doi:10.4172/2167-7182.1000420
69. Heyman H, Van De Looverbosch DE, Meijer EP, Schols JM. Benefits of an oral nutritional supplement on pressure ulcer healing in long-term care residents. *J Wound Care.* 2008 Nov;17(11):476-8, 480.

70. Cereda E, Gini A, Pedrolli C, Vanotti A. Disease-specific, versus standard, nutritional support for the treatment of pressure ulcers in institutionalized older adults: a randomized controlled trial. *J Am Geriatr Soc.* 2009 Aug;57(8):1395-402.
71. Schols JM, Heyman H, Meijer EP. Nutritional support in the treatment and prevention of pressure ulcers: an overview of studies with an arginine enriched oral nutritional supplement. *J Tissue Viability.* 2009 Aug;18(3):72-9.
72. Scholl D et. al. Nutrient recommendations for wound healing. *Journal of Intravenous Nursing.* 2001; 24 (2): 124-132