

REFERÊNCIAS BIBLIOGRÁFICAS

CARTA ESCOLA

- 1.** Kossoff EH et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the International Ketogenic Diet Study Group. Epilepsia Open. 2018 Jun; 3(2): 175–192. **2.** Newton CR, Epilepsy in poor regions of the world The Lancet, Volume 380, Issue 9848;1193-1201, 2012. **3.** Epilepsy Fact Sheet, World Health Organization, 2015. **4.** Engel J, What can we do for people with drugresistant epilepsy? The 2016 Warteberg Lecture. American Academy of Neurology. **5.** Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. Arq. NeuroPsiquiatr. 2017;75(4):234-237. **6.** Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. Child Neurol Open. 2018;5:2329048X18779497. **7.** Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. Epilepsia. 2017;58(2):e36-e39. **8.** Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. Eur J Paediatr Neurol. 2010; 14(3):229–234. **9.** Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. J Child Neurol. 2011;26(2):147-51. **10.** Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. Acta Neurol Belg. 2017;117(1):175-182.

CARTA INTERNAÇÃO

- 1.** Sampaio LPB. ABC da dieta cetogênica para epilepsia refratária. Rio de Janeiro: Editora DOC Content, 2018. 1a edição, 220 p. **2.** Newton CR, Epilepsy in poor regions of the world The Lancet, Volume 380, Issue 9848;1193-1201, 2012. **3.** Epilepsy Fact Sheet, World Health Organization, 2015. **4.** Engel J, What can we do for people with drugresistant epilepsy? The 2016 Warteberg Lecture. American Academy of Neurology. **5.** Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. Arq. NeuroPsiquiatr. 2017;75(4):234-237. **6.** Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. Child Neurol Open. 2018;5:2329048X18779497. **7.** Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. Epilepsia. 2017;58(2):e36-e39. **8.** Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. Eur J Paediatr Neurol. 2010; 14(3):229–234. **9.** Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. J Child Neurol. 2011;26(2):147-51. **10.** Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. Acta Neurol Belg. 2017;117(1):175-182.

CARTA MÉDICO

1. Sampaio LPB. ABC da dieta cetogênica para epilepsia refratária. Rio de Janeiro: Editora DOC Content, 2018. 1a edição, 220 p. **2.** Newton CR, Epilepsy in poor regions of the world The Lancet, Volume 380, Issue 9848;1193-1201, 2012. **3.** Epilepsy Fact Sheet, World Health Organization, 2015. **4.** Engel J, What can we do for people with drugresistant epilepsy? The 2016 Warteberg Lecture. American Academy of Neurology. **5.** Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. Arq. NeuroPsiquiatr. 2017;75(4):234-237. **6.** Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. Child Neurol Open. 2018;5:2329048X18779497. **7.** Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. Epilepsia. 2017;58(2):e36-e39. **8.** Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. Eur J Paediatr Neurol. 2010; 14(3):229–234. **9.** Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. J Child Neurol. 2011;26(2):147-51. **10.** Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. Acta Neurol Belg. 2017;117(1):175-182.

CARTA NECESSIDADE

1. Kossoff EH et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the International Ketogenic Diet Study Group. Epilepsia Open. 2018 Jun; 3(2): 175–192. **2.** Newton CR, Epilepsy in poor regions of the world The Lancet, Volume 380, Issue 9848;1193-1201, 2012. **3.** Epilepsy Fact Sheet, World Health Organization, 2015. **4.** Engel J, What can we do for people with drugresistant epilepsy? The 2016 Warteberg Lecture. American Academy of Neurology. **5.** Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. Arq. NeuroPsiquiatr. 2017;75(4):234-237. **6.** Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. Child Neurol Open. 2018;5:2329048X18779497. **7.** Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. Epilepsia. 2017;58(2):e36-e39. **8.** Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. Eur J Paediatr Neurol. 2010; 14(3):229–234. **9.** Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. J Child Neurol. 2011;26(2):147-51. **10.** Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. Acta Neurol Belg. 2017;117(1):175-182.

CARTA VIAGENS AÉREAS

- 1.** Kossoff EH et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the International Ketogenic Diet Study Group. *Epilepsia Open*. 2018 Jun; 3(2): 175–192 **2.** Newton CR, Epilepsy in poor regions of the world *The Lancet*, Volume 380, Issue 9848;1193-1201, 2012. **3.** Epilepsy Fact Sheet, World Health Organization, 2015. **4.** Engel J, What can we do for people with drugresistant epilepsy? The 2016 Warteberg Lecture. American Academy of Neurology. **5.** Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. *Arq. NeuroPsiquiatr.* 2017;75(4):234-237. **6.** Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. *Child Neurol Open*. 2018;5:2329048X18779497. **7.** Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. *Epilepsia*. 2017;58(2):e36-e39. **8.** Coppola G, Verrotti A, Ammendola E, Opero FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. *Eur J Paediatr Neurol*. 2010; 14(3):229–234. **9.** Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. *J Child Neurol*. 2011;26(2):147-51. **10.** Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. *Acta Neurol Belg*. 2017;117(1):175-182.