

REFERÊNCIAS BIBLIOGRÁFICAS

Guia prático sobre terapia dietética cetogênica

DEFINIÇÃO E EPIDEMIOLOGIA

PÁG 2

1. Kwan P, Arzimanoglou A, Berg AT, Brodie MJ, Allen Hauser W, Mathern G, et al. Definition of drug resistant epilepsy: consensus proposal by the ad hoc Task Force of the ILAE Commission on Therapeutic Strategies. *Epilepsia*. 2010 Jun;51(6):1069–77.
2. Kalilani L, Sun X, Pelgrims B, Noack-Rink M, Villanueva V. The epidemiology of drug-resistant epilepsy: A systematic review and meta-analysis. *Epilepsia*. 2018 Dec;59(12):2179–93.
3. Olusanya BO, Wright SM, Nair MKC, Boo N-Y, Halpern R, Kuper H, et al. Global burden of childhood epilepsy, intellectual disability, and sensory impairments. *Pediatrics*. 2020 Jul;146(1).
4. Berg AT, Kaiser K, Dixon-Salazar T, Elliot A, McNamara N, Meskis MA, et al. Seizure burden in severe early-life epilepsy: Perspectives from parents. *Epilepsia Open*. 2019 Jun;4(2):293–301.

PÁG 3

1. Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. *Arq. NeuroPsiquiatr*. 2017;75(4):234-237.
2. Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. *Child Neurol Open*. 2018;5:2329048X18779497.
3. Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. *Epilepsia*. 2017;58(2):e36-e39.
4. Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. *Eur J Paediatr Neurol*. 2010; 14(3):229–234.
5. Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. *J Child Neurol*. 2011;26(2):147-51.
6. Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. *Acta Neurol Belg*. 2017;117(1):175-182.
7. Uldall P et al. Ketogenic diet for infants is possible with Ketocal. *Epilepsia*. 2006;47(S3):176.
8. Rubenstein JE. Use of the ketogenic diet in neonates and infants. *Epilepsia*. 2008;49(Suppl 8):30.
9. Nizamuddin J, Turner Z, Rubenstein JE, Pyzik PL, Kossoff EH. Management and risk factors for dyslipidemia with the ketogenic diet. *J Child Neurol*. 2008;23(7):758-61].

10. Chen Z et al. Treatment Outcomes in Patients With Newly Diagnosed Epilepsy Treated With Established and New Antiepileptic Drugs: A 30-Year Longitudinal Cohort Study. *JAMA Neurol.* 2018;75(3):279-286.
11. Kossoff E et al. When do seizures usually improve with the ketogenic diet? *Epilepsia.* 2008;49:329-333.
12. Begley CE, Famulari M, Annegers JF, et al. The cost of epilepsy in the United States: an estimate from population-based clinical and survey data. *Epilepsia.* 2000;41:341-351.
13. Engel J, What can we do for people with drug-resistant epilepsy? The 2016 Warteberg Lecture. *American Academy of Neurology.*
14. Englot DJ, Chang EF, Auguste KI. Vagus nerve stimulation for epilepsy: a meta-analysis of efficacy and predictors of response. *J Neurosurg.* 2011;115(6):1248-55.
15. Chambers A, Bowen JM. Electrical stimulation for drug-resistant epilepsy: an evidence-based analysis. *Ont Health Technol Assess Ser.* 2013;13(18):1-37.
16. Cukiert A. Vagus Nerve Stimulation for Epilepsy: An Evidence-Based Approach. *Prog Neurol Surg.* 2015;29:39-52

PÁG 4-5

1. Rusek M, Pluta R, Ułamek-Kozioł M, Czuczwar SJ. Ketogenic diet in Alzheimer's disease. *Int J Mol Sci.* 2019 Aug 9;20(16).
2. Brenton JN, Lehner-Gulotta D, Woolbright E, Banwell B, Bergqvist AGC, Chen S, et al. Phase II study of ketogenic diets in relapsing multiple sclerosis: safety, tolerability and potential clinical benefits. *J Neurol Neurosurg Psychiatr.* 2022 Jun;93(6):637–44.
3. Neri L de CL, Ferraris C, Catalano G, Guglielmetti M, Pasca L, Pezzotti E, et al. Ketosis and migraine: a systematic review of the literature and meta-analysis. *Front Nutr.* 2023 Jun 12;10:1204700.
4. Sethi S, Wakeham D, Ketter T, Hooshmand F, Bjornstad J, Richards B, et al. Ketogenic diet intervention on metabolic and psychiatric health in bipolar and schizophrenia: A pilot trial. *Psychiatry Res.* 2024 May;335:115866.
5. Dal Bello S, Valdemarin F, Martinuzzi D, Filippi F, Gigli GL, Valente M. Ketogenic diet in the treatment of gliomas and glioblastomas. *Nutrients.* 2022 Sep 17;14(18).
6. Zhou C, Wang M, Liang J, He G, Chen N. Ketogenic Diet Benefits to Weight Loss, Glycemic Control, and Lipid Profiles in Overweight Patients with Type 2 Diabetes Mellitus: A Meta-Analysis of Randomized Controlled Trials. *Int J Environ Res Public Health.* 2022 Aug 22;19(16).
7. Conway L, Smith ML, Ferro MA, Speechley KN, Connolly MB, Snead OC, et al. Correlates of health-related quality of life in children with drug resistant epilepsy. *Epilepsia.* 2016 Aug;57(8):1256–64.
8. Tagliabue A, Armeno M, Berk KA, Guglielmetti M, Ferraris C, Olieman J, et al. Ketogenic diet for epilepsy and obesity: Is it the same? *Nutr Metab Cardiovasc Dis.* 2024 Mar;34(3):581–9.

9. INTERNATIONAL LEAGUE AGAINST EPILEPSY. Food for thought: The ketogenic diet as epilepsy treatment. Epigraph, v. 22, n. 5, Fall 2020. Disponível em: <https://www.ilae.org/journals/epigraph/epigraph-vol-22-issue-5-fall-2020/food-for-thought-the-ketogenic-diet-as-epilepsy-treatment>. Acesso em: 15 abr. 2025. Imagem cedida por Natasha Schoeler.

INDICAÇÕES E EFICÁCIA ESPERADA

PÁG 6 e 7

1. Kossoff EH, Zupec-Kania BA, Auvin S, Ballaban-Gil KR, Christina Bergqvist AG, Blackford R, et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the International Ketogenic Diet Study Group. Epilepsia Open. 2018 Jun;3(2):175–92.
2. SOCIEDADE BRASILEIRA DE PEDIATRIA (SBP). Manual de orientação para a alimentação do lactente. 2018. Disponível em: https://www.sbp.com.br/fileadmin/user_upload/2018/03/59-SBP-Manual-2018.pdf. Acesso em: 15 abr. 2025.

TIPOS DE TERAPIA CETOGENICA

PÁG 8-13

1. Kossoff EH, Zupec-Kania BA, Auvin S, Ballaban-Gil KR, Christina Bergqvist AG, Blackford R, et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the International Ketogenic Diet Study Group. Epilepsia Open. 2018 Jun;3(2):175–92.
2. Tagliabue A, Armeno M, Berk KA, Guglielmetti M, Ferraris C, Olieman J, et al. Ketogenic diet for epilepsy and obesity: Is it the same? Nutr Metab Cardiovasc Dis. 2024 Mar;34(3):581–9.
3. Lopes Neri L de C, Guglielmetti M, Fiorini S, Pasca L, Zanaboni MP, de Giorgis V, et al. Adherence to ketogenic dietary therapies in epilepsy: A systematic review of literature. Nutr Res. 2024 Jun;126:67–87.
4. Felton EA, Henry-Barron BJ, Jan AK, Shegelman A, Faltersack K, Vizthum D, et al. The Feasibility and Tolerability of Medium Chain Triglycerides in Women with a Catamenial Seizure Pattern on the Modified Atkins Diet. Nutrients. 2021 Jun 30;13(7).
5. Santiworakul C, Chomtho K, Chomtho S. Growth and nutritional status of pediatric patients treated with the ketogenic diet. Asia Pac J Clin Nutr. 2021 Jun;30(2):231–7.
6. De Giorgis V, Tagliabue A, Bisulli F, Brambilla I, Camerini A, Cusmai R, et al. Ketogenic dietary therapies in epilepsy: recommendations of the Italian League against Epilepsy Dietary Therapy Study Group. Front Neurol. 2023 Jul 10;14:1215618.

7. de Brito Sampaio LP, Henriques-Souza AM de M, Lin K, Neri L de CL, Inuzuka LM, Uchôa LI de L, et al. Ketogenic therapy in childhood and adolescence: recommendations of the Brazilian experts group. *Arq Neuropsiquiatr*. 2023 Jun 28;81(6):597–606.

CÁLCULOS DA TERAPIA DIETÉTICA CETOGENICA

PÁG 14

1. Sampaio LPB. ABC da dieta cetogênica para epilepsia refratária. Rio de Janeiro: Editora DOC Content, 2018. 1a edição, 220 p.

DIETA ORAL

PÁG 15-17

1. de Brito Sampaio LP, Henriques-Souza AM de M, Lin K, Neri L de CL, Inuzuka LM, Uchôa LI de L, et al. Ketogenic therapy in childhood and adolescence: recommendations of the Brazilian experts group. *Arq Neuropsiquiatr*. 2023 Jun 28;81(6):597–606.
2. Ward KE, Ramsay J, Vu BJ. A case of severe metabolic acidosis in the setting of a strict ketogenic diet. *Cureus*. 2023 May 8;15(5):e38741.
3. Bjurulf B, Magnus P, Hallböök T, Strømme P. Potassium citrate and metabolic acidosis in children with epilepsy on the ketogenic diet: a prospective controlled study. *Dev Med Child Neurol*. 2020 Jan;62(1):57–61.
4. Ríos VG. [Complications of treatment of epilepsy by a ketogenic diet]. *Rev Neurol*. 2001 Nov 30;33(10):909–15.
5. Hawkes CP, Roy SM, Dekelbab B, Frazier B, Grover M, Haidet J, et al. Hypercalcemia in children using the ketogenic diet: A multicenter study. *J Clin Endocrinol Metab*. 2021 Jan 23;106(2):e485–95.
6. Ruiz Herrero J, Cañedo Villarroja E, García Peñas JJ, García Alcolea B, Gómez Fernández B, Puerta Macfarland LA, et al. Ketogenic dietary therapies for epilepsy: Experience in 160 patients over 18 years. *An Pediatr (Barc)*. 2022 Jun;96(6):511–22.
7. Hameed H, Lopes Neri LC, Schoeler N. Barriers and facilitators to starting and staying on ketogenic diet therapy for children with epilepsy: A scoping review. *Clin Nutr ESPEN*. 2025 Apr;66:465-473. doi: 10.1016/j.clnesp.2025.02.020. Epub 2025 Feb 22. PMID: 39993566.

DIETA ENTERAL

PÁG 18-19

1. Kossoff EH, Zupec-Kania BA, Auvin S, Ballaban-Gil KR, Christina Bergqvist AG, Blackford R, et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the

- International Ketogenic Diet Study Group. *Epilepsia Open*. 2018 Jun;3(2):175–92.
2. Lopes Neri L de C, Guglielmetti M, Fiorini S, Pasca L, Zanaboni MP, de Giorgis V, et al. Adherence to ketogenic dietary therapies in epilepsy: A systematic review of literature. *Nutr Res*. 2024 Jun;126:67–87.
 3. Felton EA, Henry-Barron BJ, Jan AK, Shegelman A, Faltersack K, Vizthum D, et al. The Feasibility and Tolerability of Medium Chain Triglycerides in Women with a Catamenial Seizure Pattern on the Modified Atkins Diet. *Nutrients*. 2021 Jun 30;13(7).
 4. Santiworakul C, Chomtho K, Chomtho S. Growth and nutritional status of pediatric patients treated with the ketogenic diet. *Asia Pac J Clin Nutr*. 2021 Jun;30(2):231–7.
 5. McDonald TJW, Henry-Barron BJ, Felton EA, Gutierrez EG, Barnett J, Fisher R, et al. Improving compliance in adults with epilepsy on a modified Atkins diet: A randomized trial. *Seizure*. 2018 Aug;60:132–8.
 6. Kossoff EH, McGrogan JR, Freeman JM. Benefits of an all-liquid ketogenic diet. *Epilepsia*. 2004 Sep;45(9):1163.
 7. Sampaio LP de B. ABC da dieta cetogênica. DOC Content, editor. 2018.
 8. Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. *Arq. NeuroPsiquiatr*. 2017;75(4):234-237
 9. Christodoulides SS, Neal EG, Fitzsimmons G, Chaffe HM, Jeanes YM, Aitkenhead H, Cross JH. The effect of the classical and medium chain triglyceride ketogenic diet on vitamin and mineral levels. *J Hum Nutr Diet*. 2012 Feb;25(1):16-26.
 10. Karimzadeh P, Moosavian T, Moosavian HR. Effects of a Formula-Based Ketogenic Diet on Refractory Epilepsy in 1 to 3 Year-Old Patients under Classic Ketogenic Diet. *Iran J Child Neurol*. 2019 Fall;13(4):83-90

NUTRIECONOMIA

PÁG 20-22

1. Mandel A, Ballew M, Pina-Garza JE, Stalmasek V, Clemens LH. Medical costs are reduced when children with intractable epilepsy are successfully treated with the ketogenic diet. *J Am Diet Assoc*. 2002 Mar;102(3):396-8. doi: 10.1016/s0002-8223(02)90091-x. PMID: 11902372.
2. Kwan P, Arzimanoglou A, Berg AT, Brodie MJ, Allen Hauser W, Mathern G, et al. Definition of drug-resistant epilepsy: consensus proposal by the ad hoc Task Force of the ILAE Commission on Therapeutic Strategies. *Epilepsia*. 2020;51(6):1069-77.
3. Libby AM, Ghushchyan V, McQueen RB, Slejko JF, Bainbridge JL, Campbell JD. Economic differences in direct and indirect costs between

- people with epilepsy and without epilepsy. *Med Care*. 2012 Nov;50(11):928–33.
4. Kayyali HR, Luniova A, Abdelmoity A. Ketogenic diet decreases emergency room visits and hospitalizations related to epilepsy. *Epilepsy Res Treat*. 2016 Sep 26;2016:5873208.
 5. Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. *Arq. NeuroPsiquiatr*. 2017;75(4):234-237.
 6. Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. *Child Neurol Open*. 2018;5:2329048X18779497.
 7. Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. *Epilepsia*. 2017;58(2):e36-e39.
 8. Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. *Eur J Paediatr Neurol*. 2010; 14(3):229–234.
 9. Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. *J Child Neurol*. 2011;26(2):147-51.
 10. Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. *Acta Neurol Belg*. 2017;117(1):175-182.
 11. Uldall P et al. Ketogenic diet for infants is possible with Ketocal. *Epilepsia*. 2006;47(S3):176.
 12. Rubenstein JE. Use of the ketogenic diet in neonates and infants. *Epilepsia*. 2008;49(Suppl 8):30.
 13. Nizamuddin J, Turner Z, Rubenstein JE, Pyzik PL, Kossoff EH. Management and risk factors for dyslipidemia with the ketogenic diet. *J Child Neurol*. 2008;23(7):758-61].
 14. Kossoff E et al. When do seizures usually improve with the ketogenic diet? *Epilepsia*. 2008;49:329-333.
 15. Zamberlan P et al. Nutrição enteral em pediatria. *Pediatria Moderna*. 2002; 38(4):105-124.
 16. Bruce S, Devlin A, Air L, et al. Changes in quality of life as a result of ketogenic diet therapy: A new approach to assessment with the potential for positive therapeutic effects. *Epilepsy Behav*. 2017;66:100-4

17. Barwick K, Parker T, Murphy N, Todd A, Leveritt M, Wilkinson SA. Development and pilot testing of a parent-reported health-related quality of life measure for children on the ketogenic diet: The KetoQoL. *Nutr Diet*. 2017
18. Gilbert DL, Pyzik PL, Vining EP, Freeman JM. Medication cost reduction in children on the ketogenic diet: data from a prospective study. *J Child Neurol*. 1999; 14(7):469-71.

KETOCAL

PÁG 23-27

1. Sampaio LPB, Takakura C, Manreza, MLG. The use of a formula-based ketogenic diet in children with refractory epilepsy. *Arq. NeuroPsiquiatr*. 2017;75(4):234-237.
2. Weijenberg A, van Rijn M, Callenbach PMC, de Koning TJ, Brouwer OF. Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. *Child Neurol Open*. 2018;5:2329048X18779497.
3. Thompson L, Fecske E, Salim M, Hall A. Use of the ketogenic diet in the neonatal intensive care unit-Safety and tolerability. *Epilepsia*. 2017;58(2):e36-e39.
4. Coppola G, Verrotti A, Ammendola E, Operto FF, Corte RD, Signoriello G et al. Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. *Eur J Paediatr Neurol*. 2010; 14(3):229–234.
5. Kossoff EH, Dorward JL, Turner Z, Pyzik PL. Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. *J Child Neurol*. 2011;26(2):147-51.
6. Ashrafi MR, Hosseini SA, Zamani GR, Mohammadi M, Tavassoli A, Badv RS et al. The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. *Acta Neurol Belg*. 2017;117(1):175-182.
7. Uldall P et al. Ketogenic diet for infants is possible with Ketocal. *Epilepsia*. 2006;47(S3):176.
8. Rubenstein JE. Use of the ketogenic diet in neonates and infants. *Epilepsia*. 2008;49(Suppl 8):30.
9. Nizamuddin J, Turner Z, Rubenstein JE, Pyzik PL, Kossoff EH. Management and risk factors for dyslipidemia with the ketogenic diet. *J Child Neurol*. 2008;23(7):758-61].
10. Kossoff EH, Zupec-Kania BA, Auvin S, Ballaban-Gil KR, Christina Bergqvist AG, Blackford R, et al. Optimal clinical management of children receiving dietary therapies for epilepsy: Updated recommendations of the International Ketogenic Diet Study Group. *Epilepsia Open*. 2018 Jun;3(2):175–92.

11. De Giorgis V, Tagliabue A, Bisulli F, Brambilla I, Camerini A, Cusmai R, et al. Ketogenic dietary therapies in epilepsy: recommendations of the Italian League against Epilepsy Dietary Therapy Study Group. *Front Neurol*. 2023 Jul 10;14:1215618.
12. Sampaio LP de B. ABC da dieta cetogênica. DOC Content, editor. 2018.
13. Felton EA, Henry-Barron BJ, Jan AK, Shegelman A, Faltersack K, Vizthum D, et al. The Feasibility and Tolerability of Medium Chain Triglycerides in Women with a Catamenial Seizure Pattern on the Modified Atkins Diet. *Nutrients*. 2021 Jun 30;13(7).
14. Hosain SA, La Vega-Talbott M, Solomon GE. Ketogenic diet in pediatric epilepsy patients with gastrostomy feeding. *Pediatr Neurol*. 2005 Feb;32(2):81–3.
15. Zamberlan P et al. Nutrição enteral em pediatria. *Pediatria Moderna*. 2002; 38(4):105-124.
16. Kayyali HR, Luniova A, Abdelmoity A. Ketogenic diet decreases emergency room visits and hospitalizations related to epilepsy. *Epilepsy Res Treat*. 2016;5873208:1-4.
17. Gilbert DL, Pyzik PL, Vining EP, Freeman JM. Medication cost reduction in children on the ketogenic diet: data from a prospective study. *J Child Neurol*. 1999; 14(7):469-71
18. Mandel A, Ballew M, Pina-Garza JEP, Stalmasek V, Clemens LH. Medical costs are reduced when children with intractable epilepsy are successfully treated with the ketogenic