

## PROJETO FARMACÊUTICO 2026:

MATERIAL: BRA SN CBU\_SN\_X-CATEGORY\_Treinamento Farmacêuticos \_00001

### NUTRIDRINK

#### PÁGINA 1 – QUAIS SÃO OS BENEFÍCIOS DO SUPLEMENTO NUTRICIONAL PARA O PÚBLICO 50+?

- 1) Brandão CFC, et al. Funções Plenamente Reconhecidas de Nutrientes - Proteína / ILSI Brasil, 2019.
- 2) França NAGF, Martini LA. Funções Plenamente Reconhecidas de Nutrientes - Cálcio / ILSI Brasil, 2018.
- 3) Giudici KV, Peters BSE, Martini LA. Funções Plenamente Reconhecidas de Nutrientes - Vitamina D / ILSI Brasi, 2018.
- 4) Bauer J, Biolo G, Cederholm T, Cesari M, Cruz-Jentoft AJ, Morley JE, et al. Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. J Am Med Dir Assoc. 2013;14(8):542-559.
- 5) PINHEIRO, Marcelo M. et al. O impacto da osteoporose no Brasil: dados regionais das fraturas em homens e mulheres adultos – The Brazilian Osteoporosis Study (BRAZOS). Revista Brasileira de Reumatologia, v. 50, p. 113-120, 2010.
- 6) Anani S, Goldhaber G, Brom A, Lasman N, Turpashvili N, Shenhav-saltzman G, et al. Frailty and sarcopenia assessment upon hospital admission predicts length of stay and readmission: a prospective study of 980 patients. J Clin Med. 2020;9:2659.
- 7) Volkert D, et. Al., ESPEN guideline on clinical nutrition and hydration in geriatrics. Clin Nutr. 2019;38(1):10-47.
- 8) Fisberg RM, Marchioni DML, Castro MA, Verly Junior E, Araújo MC, Bezerra IN, et al. Ingestão inadequada de nutrientes na população de idosos do Brasil: Inquérito Nacional de Alimentação 2008-2009. Rev Saúde Pública. 2013;47(Suppl 1):222S-30S.

#### PAGINA 2 – Suplemento Nutricional com nutrientes que auxiliam na recuperação da força e energia.

- 1) Brandão CFC, et al. Funções Plenamente Reconhecidas de Nutrientes - Proteína / ILSI Brasil, 2019.
- 2) França NAGF, Martini LA. Funções Plenamente Reconhecidas de Nutrientes - Cálcio / ILSI Brasil, 2018.

- 3) Giudici KV, Peters BSE, Martini LA. Funções Plenamente Reconhecidas de Nutrientes - Vitamina D / ILSI Brasi, 2018.
- 4) Vannucchi H, Cunha SFC, Takeuchi PL. Funções Plenamente Reconhecidas de Nutrientes - Vitaminas do Complexo B / ILSI Brasi, 2018.
- 5) Cominetti Z, Reis BZ, Cozzolino SMF. Funções Plenamente Reconhecidas de Nutrientes - Zinco / ILSI Brasil, 2017
- 6) Nowson C, O'Connell S. Protein requirements and recommendations for older people: a review. *Nutrients*. 2015;7(8):6874-6899.
- 7) Paddon-Jones D, Rasmussen BB. Dietary protein recommendations and the prevention of sarcopenia. *Curr Opin Clin Nutr Metab Care*. 2009;12(1):86-90.
- 8) Bauer J, et al. Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. *J Am Med Dir Assoc*. 2013;14:542-559.

#### **TELA – O LEITE MATERNO E PREVALÊNCIA**

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
2. Sociedade Brasileira de Pediatria. Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar– 5.ed. rev. ampl. – São Paulo: SBP, 2024.208 p.
3. Prevalência e práticas de aleitamento materno em crianças brasileiras menores de 2 anos -ENANI-2019.

#### **LINHA APTAMIL E APTANUTRI – TELA PRODUTOS**

1. Sociedade Brasileira de Pediatria. Manual de orientação para a alimentação do lactente, do pré-escolar, do escolar, do adolescente e na escola. Departamento de Nutrologia, 4ª ed. Rio de Janeiro, 2018.
2. Sociedade Brasileira de Pediatria. Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar– 5.ed. rev. ampl. – São Paulo: SBP, 2024.208 p.
3. Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am*. 2013;60(1):49-74.

4. Koletzko B et al. Lower protein in infant formula is associated with lower weight up to age 2 y: a randomized clinical trial. *Am J Clin Nutr.* 2009; 89: 1836–45.
5. Dallas DC, Murray NM, Gan J. Proteolytic Systems in Milk: Perspectives on the Evolutionary Function within the Mammary Gland and the Infant. *J Mammary Gland Biol Neoplasia.* 2015 Dec;20(3-4):133-47.
6. Falcão MC. Dinâmica da composição lipídica das fórmulas infantis e suas implicações clínicas. *BRASPEN J* 2020; 35 (3): 294-306
7. Liu L et al. Higher efficacy of dietary DHA provided as a phospholipid than as a triglyceride for brain DHA accretion in neonatal piglets. *J Lipid Res.* 2014;55(3):531-9
8. Bar-Yoseph F et al. Review of sn-2 palmitate oil implications for infant health. *Prostaglandins Leukot Essent Fatty Acids.* 2013;89(4):139-43
9. Salminen S, Szajewska H, Knol J. *The Biotics Family in Early Life.* Edited Wiley: vol. 4, 2019
10. Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr.* 2002;34(3):291-5
11. Bruzzese E et al. A formula containing galacto- and fructo-oligosaccharides prevents intestinal and extra-intestinal infections: an observational study. *Clin Nutr.* 2009;28(2):156-61
12. Oozer R et al. Intestinal microbiology in early life: specific prebiotics can have similar functionalities as human-milk oligosaccharides. *Am J Clin Nutr.* 2013;98(2):561S-71S.
13. Scholtens PA et al. Stool characteristics of infants receiving short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides: a review. *World J Gastroenterol.* 2014;20(37):13446-52.
14. Vandenplas Y et al. A partly fermented infant formula with postbiotics including 3'-GL, specific oligosaccharides, 2'-FL, and milk fat supports adequate growth, is safe and well-tolerated in healthy term infants: a double-blind, randomised, controlled, multi-country trial. *Nutrients.* 2020; 12(11):3960
15. Overbeek S et al. Human milk oligosaccharide 2'-fucosyllactose more efficiently modulates immunogenicity during maturation of human dendritic cells in the presence of scGOS/lcFOS prebiotics. *JPGN.* 2019; 58:995
16. Comparativo realizado entre produtos da mesma categoria, em 04/2026, utilizando informações extraídas da tabela nutricional
17. Dinleyici M, Barbieur J, Dinleyici EC, Vandenplas Y. Functional effects of human milk oligosaccharides (HMOs). *Gut Microbes.* 2023 Jan-Dec;15(1):2186115.
18. Mun JG, Legette LL, Ikonte CJ, Mitmesser SH. Choline and DHA in Maternal and Infant Nutrition: Synergistic Implications in Brain and Eye Health. *Nutrients.* 2019 May 21;11(5):1125.
19. Luque et al. Early Programming by Protein Intake: The Effect of Protein on Adiposity Development and the Growth and Functionality of Vital Organs. *Nutrition and Metabolic Insights* 2015;8(S1) 49–56

20. Zubler et al. Evidence-informed milestones for developmental surveillance tools. *Pediatrics*. 2022;149(3).;
21. Xiao L et al. The combination of 2'-fucosyllactose with short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides that enhance influenza vaccine responses is associated with mucosal immune regulation in mice. *J Nutr*. 2019;149(5):856-869.;
22. Nogueira-de-Almeida, C. A., Falcão, M. C., Ribas Filho, D., Zorzo, R. A., Konstantyner, T., Ricci, R., Gioia, N., & Fisberg, M. (2022). Consensus of the Brazilian Association of Nutrology on Milky Feeding of Children Aged 1–5 Years Old. *International Journal of Nutrology*, 13(1), 2–16.
23. Hojsak, I. et al. Young Child Formula: A Position Paper by the ESPGHAN Committee on Nutrition *JPGN* 2018,66: 177-185.

### **QUEIXAS GASTROINTESTINAIS (DISTÚRBIOS DA INTERAÇÃO INTESTINO-CÉREBRO)**

1. Milla P, Cucchiara S, DiLorenzo C, Rivera NM, Rudolph C, Tomomasa T. Motility disorders in childhood: working group report of the first World Congress of Pediatrics Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr*. 2002;35:S187-S195.
2. Labrenz F, Merz CJ, Icenhor A. Connecting dots in disorders of gut-brain interaction: the interplay of stress and sex hormones in shaping visceral pain. *Front Psychiatry*. 2023;19(14):1204136.
3. Benninga MA, Nurko S, Faure C, Hyman PE, Roberts IST, Schechter NL. Childhood Functional Gastrointestinal Disorders: Neonate/Toddler. *Gastroenterology*. 2016;150:1443–1455.
4. Zeevenhooven J, Koppen IJN, Benninga MA. The New Rome IV Criteria for Functional Gastrointestinal Disorders in Infants and Toddlers. *Pediatr Gastroenterol Hepatol Nutr* 2017;20(1):1-13.
5. Groen J, Gordon M, Chogle A, Benninga M, Borlack R, Borrelli O, et al. ESPGHAN/NASPGHAN guidelines for treatment of irritable bowel syndrome and functional abdominal pain-not otherwise specified in children aged 4-18 years. *J Pediatr Gastroenterol Nutr*. 2025;81(2):442-471.
6. Vandenplas Y, Abkari A, Bellaiche M, Benninga M, Chouraqui JP, Çokura F, et al. Prevalence and health outcomes of functional gastrointestinal symptoms in infants from birth to 12 months of age. *J Pediatr Gastroenterol Nutr*. 2015;61:531-7.

7. Vandenplas Y, Salvatore S, Vieira MC, Savino F, Heine RG, Huysentruyt K, Meyer R. Infantile colic: When to suspect cow's milk allergy. *Nutrients* 2025; 17 (22): 3600
8. Benninga MA, et al. Childhood Functional Gastrointestinal Disorders: Neonate/Toddler. *Gastroenterology*. 2016 Feb 15:S0016-5085(16)00182-7. doi: 10.1053/j.gastro.2016.02.016. Epub ahead of print.
- 9) Bellaiche M, et al. Multiple functional gastrointestinal disorders are frequent in formula-fed infants and decrease their quality of life. *Acta Paediatr*. 2018 Jul;107(7):1276-1282. doi: 10.1111/apa.14348. Epub 2018 Apr 26.
- 10) Rosen R, et al. Pediatric Gastroesophageal Reflux Clinical Practice Guidelines: Joint Recommendations of the North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition and the European Society for Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr*. 2018 Mar;66(3):516-554. doi: 10.1097/MPG.0000000000001889.
- 11) Vandenplas Y et al. Algorithms for managing infant constipation, colic, regurgitation and cow's milk allergy in formula-fed infants. *Acta Pædiatrica* 2015, ISSN 0803-5253

### **LIDERAR É SER COMPLETA COMO A INFÂNCIA PRECISA, E ESPECIALISTA COMO OS DGBIs EXIGEM**

- 1) Borrelli O et al. Use of a new thickened formula for treatment of symptomatic gastroesophageal reflux in infants. *Ital J Gastroenterol Hepatol*, 1997; 29:237-42.
- 2) Wenzl TG et al. Effects of thickened feeding on gastroesophageal reflux in infants: a placebo-controlled crossover study using intraluminal impedance. *Journal of Pediatrics*, 2003;111(4):355-359.
- 3) Vandenplas Y, Hachimi-Idrissi S, Casteels A, Mahler T, Loeb H. A clinical trial with an "anti-regurgitation" formula. *Eur J Pediatr*. 1994 Jun;153(6):419-23. doi: 10.1007/BF01983405.
- 4) Grosse et al. *Kinderärztliche Praxis*. 1998;69:204-10
- 5) Hegar B, et al. Natural evolution of infantile regurgitation versus the efficacy of thickened formula. *J Pediatr Gastroenterol Nutr*. 2008 Jul;47(1):26-30.
- 6) Salvatore S. et al. Thickened infant formula: what to know. *Nutrition* 49 (2018) 51-56.
- 7) Danone Nutricia Research: <https://www.nutriciaresearch.com>. Acesso em agosto de 2020.
- 8) Meunier L et al. Locust bean gum safety in neonates and young infants: an integrated review of the toxicological database and clinical evidence. *Regul Toxicol Pharmacol*. 2014;70(1):155-69.

- 9) Rosen R, Vandenplas Y, Singendonk M, et al. Pediatric Gastroesophageal Reflux Clinical Practice Guidelines: Joint Recommendations of the North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition and the European Society for Pediatric Gastroenterology, Hepatology, and Nutrition. *J Pediatr Gastroenterol Nutr.* 2018;66(3):516-554.
- 10) Infante Pina D et al. Thickened infant formula, rheological study of the “in vitro” properties. *An Pediatr (Barc).* 2010; 72(5):302-8.
- 11) Horvath A, Dziechciarz P, Szajewska H. The Effect of Thickened-Feed Interventions on Gastroesophageal Reflux in Infants: Systematic Review and Meta-analysis of Randomized, Controlled Trials. *Pediatrics* 2008;122:e1268–e1277.
- 12) Braegger C et al. Supplementation of infant formula with probiotics and/or prebiotics: a systematic review and comment by the ESPGHAN Committee on Nutrition. *J Pediatr Gastroenterol Nutr.* 2011;52:238–225
- 13) Boehm G et al. Prebiotics in infant formulas. *J Clin Gastroenterol.* 2004; 38: S76-9.
- 14) Vandenplas Y et al. Oligosaccharides in infant formula: more evidence to validate the role of prebiotics. *Br J Nutr.* 2015;113(9):1339-44.
- 15) Moro G et al. Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. *J Pediatr Gastroenterol Nutr.* 2002;34(3):291-5
- 16) Oozeer R et al. Intestinal microbiology in early life: specific prebiotics can have similar functionalities as human-milk oligosaccharides. *Am J Clin Nutr.* 2013;98(2):561S-71S.
- 17) Ballard O, Morrow AL. Human milk composition: nutrients and bioactive factors. *Pediatr Clin North Am.* 2013;60(1):49-74.
- 18) Lordan C et al. Linking human milk oligosaccharide metabolism and early life gut microbiota. *Microbiol Mol Biol Rev.* 2024;88(1):e00094-23.
- 19) Vandenplas Y et al. Algorithms for managing infant constipation, colic, regurgitation and cow’s milk allergy in formula-fed infants. *Acta Pædiatrica* 2015, ISSN 0803-5253
- 20) Savino F et al. Reduction of crying episodes owing to infantile colic: A randomized controlled study on the efficacy of a new infant formula. *Eur J Clin Nutr* 2006, 60:1304-10.
- 21) Savino F et al. “Minor” feeding problems during the first months of life: effect of a partially hydrolyzed milk formula containing fructo- and galacto-oligosaccharides. *Acta Paediatr Suppl* 2003, 91:86-90.
- 22) Schmelzle H et al. Randomized double-blind study of the nutritional efficacy and bifidogenicity of a new infant formula containing partially hydrolyzed protein, a high beta-palmitic acid level, and nondigestible oligosaccharides. *J Pediatr Gastroenterol Nutr* 2003, 36:343-51.
- 23) Bongers ME et al. The clinical effect of a new infant formula in term infants with constipation: a double-blind, randomized cross-over trial. *Nutr J* 2007;6:8.

- 24) Savino F et al. Advances in the management of digestive problems during the first months of life. *Acta Paediatr Suppl* 2005, 94:120.
- 25) Havlicekova Z et al. Beta-palmitate - a natural component of human milk in supplemental milk formulas. *Nutr J.* 2016;15(1):28.
- 26) Litmanovitz I et al. Reduced crying in term infants fed high beta-palmitate formula: a double-blind randomized clinical trial. *BMC Pediatr.* 2014;14:152.
- 27) Yao M et al. Effects of term infant formulas containing high sn-2 palmitate with and without oligofructose on stool composition, stool characteristics, and bifidogenicity. *J Pediatr Gastroenterol Nutr.* 2014 ;59(4):440-8.
- 28) Nowacki J et al. Stool fatty acid soaps, stool consistency and gastrointestinal tolerance in term infants fed infant formulas containing high sn-2 palmitate with or without oligofructose: a double-blind, randomized clinical trial. *Nutr J.* 2014;13:105.
- 29) Simakachorn N et al. Randomized, double-blind clinical trial of a lactose-free and a lactose containing formula in dietary management of acute childhood diarrhea. *J Med Assoc Thai.* 2004 Jun;87(6):641- 9.
- 30) Koletzko B, Karin B, Thomas BJ, Phipip C Should formula for infants provide arachidonic acid along with DHA? A position paper of the European Academy of Paediatrics and the Child Health Foundation. *Am J Clin Nutr.* 2020. Vol. 111, nº 1, p. 10-16.
- 31) Birch E. et al. The DIAMOND (DHA intake and measurement of neural development) study: a double-masked, randomized controlled clinical trial of the maturation of infant visual acuity as a function of the dietary level of docosahexaenoic acid' *Am J Clin Nutr.*, vol. 91, no.4, pg. 848–859, 2010.
- 32) HCP TRACKER, 2024
- 33) NielsenIQ Retail Index Evolution, CP 188 (Leites Especiais em Pó), Fórmulas Infantis Anti Refluxo e Fórmulas Infantis para Transtornos Gastrointestinais Leves, MOV'25 (Out'24-Set'25), T. BRASIL INA+INFC

## **GROWTH**

### **TELA - DIFICULDADES ALIMENTARES**

1. Samuel T. A Narrative Review of Childhood Picky Eating and Its Relationship to Food Intakes, Nutritional Status, and Growth. *Nutrients* 2018, 10(12), 1992
2. Pesquisa realizada pela Editora Abril em parceria com a Danone Nutricia. 2020.
3. Taylor et al. Picky/fussy eating in children: Review of definitions, assessment, prevalence and dietary intakes. *Appetite* 95 (2015) 349e359.
4. Maximino P, Ricci R, Machado RHV et al. Children with feeding difficulties have insufficient intake of vitamins, minerals, and dietary fiber. *Nutrire* volume 45, Article number: 22 (2020)
5. Xue Y, Lee E, King K et al., Prevalence of picky eating behaviour in Chinese school-

age children and associations with anthropometric parameters and intelligence quotient. *Appetite* 91 (2015) 248–255.

6. Antoniou E, Roefs A, Kremers S et al. Picky eating and child weight status development: a longitudinal study. *Journal of Human Nutrition and Dietetics*. 2015; 29(3):298-307

7. Taylor, C., & Emmett, P. Picky eating in children: Causes and consequences. *Proceedings of the Nutrition Society*. 2019; 78(2): 161-169.

8. Kreipe, R.E., Palomaki, A. Beyond Picky Eating: Avoidant/Restrictive Food Intake Disorder. *Curr Psychiatry Rep* 14, 421–431 (2012). 19.

9. Fernandez C, McCaffery H, Miller A et al. Trajectories of Picky Eating in Low-Income US Children. *Pediatrics*. 2020; 145 (6): e20192018.

### **TELA - FORTINI COMPLETE**

1. Food and Agriculture Organization of the United Nations. (2010). Fats and fatty acids in human nutrition. Report of an expert consultation. *Food and Nutrition Paper* 91.

2. Scholtens PAMJ, Goosens DAM, Staiano A. (2014). Stool characteristics of infants receiving shortchain galacto-oligosaccharides and long-chain fructo-oligosaccharides: A review. *World J Gastroenterol*, 20(37), 13446-13452.

3. Knol et al. (2005). Colon microflora in infants fed formula with galacto- and fructooligosaccharides: more like breast-fed infants. *J Pediatr Gastroenterol Nutr*, 40(1), 36-42

4. Nogueira-de-Almeida, C.A.; Del Ciampo, L.A.; Martinez, E.Z.; Contini, A.A.; Nogueira-de-Almeida, M.E.; Ferraz, I.S.; Epifanio, M.; da Veiga Ued, F. Clinical Evolution of Preschool Picky Eater Children Receiving Oral Nutritional Supplementation during Six Months: A Prospective Controlled Clinical Trial. *Children* 2023, 10, 495

5. Sociedade Brasileira de Pediatria – Departamento de Nutrologia. *Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar - 4ª. ed. - São Paulo: SBP, 2018*

6. Taylor et al. Picky/fussy eating in children: Review of definitions, assessment, prevalence and dietary intakes. *Appetite* 95 (2015) 349-359.

7. Kerzner B, Milano K, MacLean WC, et al. A Practical approach to classifying and managing feeding difficulties. 2015; 135(2):344-35

8. Nogueira CA, Mello E, Filho DR, Maximino P, Fisberg M. Consenso da Associação Brasileira de Nutrologia sobre o uso de suplementos alimentares para crianças com dificuldades alimentares. *Int J Nutrol* 2018;11(supl S1):S4–S15

9. Sociedade Brasileira de Pediatria. *Guia de orientações - Dificuldades alimentares. Departamento Científico de Nutrologia São Paulo: SBP, 2022.*

10. Braegger C, Decsi T, Dias JA, Hartman C, Kolaček S, Koletzko B et al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. *JPGN*; 2010;51(1):110-122

#### **TELA – FORTINI PLUS**

1. Sociedade Brasileira de Pediatria – Departamento de Nutrologia. Manual de Alimentação: orientações para alimentação do lactente ao adolescente, na escola, na gestante, na prevenção de doenças e segurança alimentar - 4ª. ed. - São Paulo: SBP, 2018
2. Nogueira CA, Mello E, Filho DR, Maximino P, Fisberg M. Consenso da Associação Brasileira de Nutrologia sobre o uso de suplementos alimentares para crianças com dificuldades alimentares. *Int J Nutrol* 2018;11(suppl S1):S4–S15
3. Sociedade Brasileira de Pediatria. Guia de orientações - Dificuldades alimentares. Departamento Científico de Nutrologia São Paulo: SBP, 2022.
4. Braegger C, Decsi T, Dias JA, Hartman C, Kolaček S, Koletzko B et al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. *JPGN*; 2010;51(1):110-122
5. Manual de Suporte Nutricional da Sociedade Brasileira de Pediatria - 2ed. - Rio de Janeiro: Departamento Científico de Suporte Nutricional da Sociedade Brasileira de Pediatria. – 2020.
6. NICE Guideline. Faltering growth: recognition and management of faltering growth in children. 2017.
7. Mehta NM et al. Defining pediatric malnutrition: A paradigm shift toward etiology-related definitions. *J Parenter Enter Nutr.* 2013;37(4):460–81.
8. ILSI Brasil. Serie de publicações funções plenamente reconhecidas de nutrientes. 2019
9. Braegger C, Decsi T, Dias JA, Hartman C, Kolaček S, Koletzko B et al. Practical Approach to Paediatric Enteral Nutrition: A Comment by the ESPGHAN Committee on Nutrition. *JPGN*; 2010;51(1):110-122
10. Trier E, Wells JCK, Thomas AG. Effects of a Multifibre Supplemented Paediatric Enteral Feed on Gastrointestinal Function. *J Pediatric Gastroenterol Nutr*, 1999; 28(5):595
11. Devaera, Y., Syaharutsa, D. M., Jatmiko, H. K., & Sjarif, D. R. Comparing Compliance and Efficacy of Isocaloric Oral Nutritional Supplementation Using 1.5 kcal/mL or 1 kcal/mL Sip Feeds in Mildly to Moderately Malnourished Indonesian Children: A Randomized Controlled Trial. *Pediatric gastroenterology, hepatology & nutrition*, 21(4), 315–320.
12. Food and Agriculture Organization of the United Nations. (2010). Fats and fatty acids in human nutrition. Report of an expert consultation. Food and Nutrition Paper 91.

